



Priser / styck i Sek exkl. moms och obruten förpackning

TURBO DISC

Cutting Disc

Ultra fast and precise cutting with the thinnest cutting disc available from SUHNER.



Artikel nummer	Storlek	Pris/st vid köp av 25st	Vid köp av 250 st	Vid köp av 1000st
909 860	100x1.0x16	14	10	6
908 075	115x1.0x22	14	10	6
908 076	125x1.0x22	14	10	6
909 648	150x1.6x22	22	16	10
908 440	178x1.6x22	26	19	13
909 649	230x1.9x22	40	28	19

SUN-Disc M

Cutting & Grinding Discs

Specially designed for maximum performance on steel.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong	Vid köp av minst 10
909 866	SUN-Disc M 115x2.0	Castiron, Steel, Stainless steel, Weld seams	19	11
909 867	SUN-Disc M 125x2.0		22	13
909 868	SUN-Disc M 178x2.0		30	18
909 869	SUN-Disc M 230x2.0		44	27
909 870	SUN-Disc M 115x6.0	Guss, Stahl, Stahl rostfrei, Schweissnähte	27	16
909 871	SUN-Disc M 125x6.0		31	19
909 872	SUN-Disc M 178x6.0		48	29
909 873	SUN-Disc M 230x6.0		84	56

Magic Disc

Grinding Discs (6mm)

Highly aggressive grinding disc removes stock in the half time!



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
908613	Magic Disc 125x6.0	Stainless steel, Castiron, Steel, Aluminium, Non ferrous metals. Rostfreier stahl, NE-Metalle, Stahl, Guss, Aluminium	70	10	42
909714	Magic Disc 150x6.0		90	10	54
908945	Magic Disc 178x6.0		108	10	65
909896	Magic Disc 230x6.0		207	10	131

Magic Disc

Flexible Grinding Discs (3mm)

Versatile and easy to operate. Available in three grain sizes.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
908610	Magic Disc 125x3.0 K36	Stainless steel, Castiron, Steel, Aluminium, Non ferrous metals. Rostfreier stahl, NE-Metalle, Stahl, Guss, Aluminium	53	15	32
908611	Magic Disc 125x3.0 K60		53	15	32
908612	Magic Disc 125x3.0 K80		53	15	32

VULCANO

Grinding Discs (Convex)

The disc adapts perfectly to all curved surfaces thanks to it's convex shape.

Also very constant and uniform material removal on even surfaces.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
909897	VULCANO 125x4.0 K36	Stainless steel, Steel Rostfreier Stahl, Stahl	60	15	36

LFS-F

Flexible flap discs

The ideal disc for processing and giving a final polish to rough concave and convex surfaces.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
908980	LFS-F 115 VA K 40	Stainless steel, Steel, Castiron Rostfreier stahl, Stahl, Guss	63	10	42
908981	LFS-F 115 VA K 60		63	10	42
908982	LFS-F 115 VA K 80		63	10	42

KFS CE

Fibre discs Cubitron™

Guarantees low temperatures during sanding, a high material removal rate and a long service life. Ideal for stainless steel.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
913 318	KFS 115 CE-22 K 36	Stainless steel, Steel, Non ferrous metals	29	25	18
913 319	KFS 115 CE-22 K 60		26	25	16
913 320	KFS 115 CE-22 K 80	Rostfreier stahl, Stahl, NE-Metalle	24	25	15
913 321	KFS 115 CE-22 K 120		20	25	13
913 322	KFS 125 CE-22 K 36	Stainless steel, Steel, Non ferrous metals	31	25	19
913 323	KFS 125 CE-22 K 60		29	25	18
913 324	KFS 125 CE-22 K 80	Rostfreier stahl, Stahl, NE-Metalle	29	25	18
913 325	KFS 125 CE-22 K 120		24	25	15
913 326	KFS 178 CE-22 K 36	Stainless steel, Steel, Non ferrous metals	63	25	42
913 327	KFS 178 CE-22 K 60		53	25	35
913 328	KFS 178 CE-22 K 80	Rostfreier stahl, Stahl, NE-Metalle	50	25	34
913 329	KFS 178 CE-22 K 120		53	25	35

KFS CEII

Fibre discs Cubitron™ II

Improvement of Cubitron™ grain. It's perfectly shaped abrasive grain guarantees super fast and comfortable working!



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
909 985	KFS 115 CE II VA K36	Stainless steel, Non ferrous metals	47	25	31
909 986	KFS 115 CE II VA K60		39	25	26
909 987	KFS 115 CE II VA K80	Rostfreier stahl, NE-Metalle	40	25	27
909 988	KFS 115 CE II ST K36	Steel, Castings	40	25	27
909 989	KFS 115 CE II ST K60		35	25	24
909 990	KFS 115 CE II ST K80	Stahl, Guss	35	25	24
909 920	KFS 125 CE II VA K36	Stainless steel, Non ferrous metals	49	25	32
909 957	KFS 125 CE II VA K60		41	25	27
909 958	KFS 125 CE II VA K80	Rostfreier stahl, NE-Metalle	42	25	28
909 959	KFS 125 CE II ST K36	Steel, Castings	44	25	29
909 960	KFS 125 CE II ST K60		37	25	25
909 961	KFS 125 CE II ST K80	Stahl, Guss	37	25	25
912 603	KFS 178 CE II VA K36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	92	25	61
912 604	KFS 178 CE II VA K60		91	25	61
912 605	KFS 178 CE II VA K80		83	25	56

BSGB CE-21

Ceramic Belts Cubitron™

For coarse and intermediate grinding with medium pressure.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
913 347	BSGB 30x533 CE-21 K 40	Stainless steel, Steel, Non ferrous metals Rostfreier stahl, Stahl, NE-Metalle	39	10	26
913 348	BSGB 30x533 CE-21 K 60		29	10	19
913 349	BSGB 30x533 CE-21 K 80		29	10	19
913 350	BSGB 30x533 CE-21 K 120		44	10	29
913 351	BSGB 30x610 CE-21 K 40		33	10	22
913 352	BSGB 30x610 CE-21 K 60		33	10	22
913 353	BSGB 30x610 CE-21 K 80		54	10	36
913 343	BSGB 50x450 CE-21 K 40		41	10	27
913 344	BSGB 50x450 CE-21 K 60		41	10	27
913 345	BSGB 50x450 CE-21 K 80		41	10	27

BSGB TZ

Abrasive belts Trizact™

For all sanding work to pre-buffing. Extraordinary reduction of work time and long service life.



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 100st
908 835	BSGB 12/520 TZ	A 100 (K220)	16	20	11
908 840	BSGB 12/520 TZ	A 16 (K1200)	16	20	11
908 834	BSGB 12/520 TZ	A 160 (K120)	16	20	11
908 839	BSGB 12/520 TZ	A 30 (K600)	16	20	11
908 838	BSGB 12/520 TZ	A 45 (K400)	16	20	11
908 837	BSGB 12/520 TZ	A 65 (K280)	16	20	11
909 845	BSGB 19/520 TZ	A 100 (K220)	25	20	17
909 844	BSGB 19/520 TZ	A 160 (K120)	25	20	17
909 846	BSGB 19/520 TZ	A 65 (K280)	25	20	17
908 842	BSGB 30/533 TZ	A 100 (K220)	37	20	25
908 847	BSGB 30/533 TZ	A 16 (K1200)	37	20	25
908 841	BSGB 30/533 TZ	A 160 (K120)	37	20	25
908 846	BSGB 30/533 TZ	A 30 (K600)	37	20	25
908 845	BSGB 30/533 TZ	A 45 (K400)	37	20	25
909 086	BSGB 30/533 TZ	A 6 (K2000)	37	20	25
908 844	BSGB 30/533 TZ	A 65 (K280)	37	20	25
908 821	BSGB 50/450 TZ	A 100 (K220)	43	20	29
908 826	BSGB 50/450 TZ	A 16 (K1200)	43	20	29
908 820	BSGB 50/450 TZ	A 160 (K120)	43	20	29
908 825	BSGB 50/450 TZ	A 30 (K600)	43	20	29
908 824	BSGB 50/450 TZ	A 45 (K400)	43	20	29
909 085	BSGB 50/450 TZ	A 6 (K2000)	43	20	29
908 823	BSGB 50/450 TZ	A 65 (K280)	43	20	29



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 5 kartonger
908 828	BSGB 6/520 TZ	A 100 (K220)	15	20	10
908 833	BSGB 6/520 TZ	A 16 (K1200)	15	20	10
908 830	BSGB 6/520 TZ	A 160 (K120)	15	20	10
908 832	BSGB 6/520 TZ	A 30 (K600)	15	20	10
908 831	BSGB 6/520 TZ	A 45 (K400)	15	20	10
908 827	BSGB 6/520 TZ	A 65 (K280)	15	20	10
909 707	BSGB 30/610 TZ	A 80 (K 240)	57	20	38
909 708	BSGB 30/610 TZ	A 65 (K 280)	57	20	38
909 709	BSGB 30/610 TZ	A 45 (K 400)	57	20	38
909 710	BSGB 30/610 TZ	A 30 (K 600)	57	20	38
909 706	BSGB 30/610 TZ	A 100 (K 220)	43	20	29
909 705	BSGB 30/610 TZ	A 160 (K120)	43	20	29
909 711	BSGB 30/610 TZ	A 16 (K1200)	43	20	29
909 712	BSGB 30/610 TZ	A 6 (P2500)	43	20	29
908 746	ESWB 100/100 TZ	A 100 (K220)	59	10	39
909 378	ESWB 100/100 TZ	A 16 (K1200)	59	10	39
908 745	ESWB 100/100 TZ	A 160 (K120)	59	10	39
909 377	ESWB 100/100 TZ	A 30 (K600)	59	10	39
908 748	ESWB 100/100 TZ	A 45 (K400)	59	10	39
909 379	ESWB 100/100 TZ	A 6 (K2000)	59	10	39
908 747	ESWB 100/100 TZ	A 65 (K280)	59	10	39
909 402	ESWB 100/40 TZ	A 100 (K220)	44	20	29
909 398	ESWB 100/40 TZ	A 16 (K1200)	44	20	29
909 403	ESWB 100/40 TZ	A 160 (K120)	44	20	29
909 399	ESWB 100/40 TZ	A 30 (K600)	44	20	29
909 400	ESWB 100/40 TZ	A 45 (K400)	44	20	29
909 397	ESWB 100/40 TZ	A 6 (K2000)	49	20	32
909 401	ESWB 100/40 TZ	A 65 (K280)	44	20	29
909 321	ESWB 45/30 TZ	A 100 (K220)	20	20	13
909 317	ESWB 45/30 TZ	A 16 (K1200)	20	20	13
909 322	ESWB 45/30 TZ	A 160 (K120)	20	20	13
909 318	ESWB 45/30 TZ	A 30 (K600)	20	20	13
909 319	ESWB 45/30 TZ	A 45 (K400)	20	20	13
909 320	ESWB 45/30 TZ	A 65 (K280)	20	20	13
909 315	ESWB 60/30 TZ	A 100 (K220)	22	20	15
909 311	ESWB 60/30 TZ	A 16 (K1200)	22	20	15
909 316	ESWB 60/30 TZ	A 160 (K120)	22	20	15
909 312	ESWB 60/30 TZ	A 30 (K600)	22	20	15
909 313	ESWB 60/30 TZ	A 45 (K400)	22	20	15
909 314	ESWB 60/30 TZ	A 65 (K280)	22	20	15
908 972	ESWB 90/100 TZ	A 100 (K220)	55	10	37
909 374	ESWB 90/100 TZ	A 16 (K1200)	55	10	37
908 971	ESWB 90/100 TZ	A 160 (K120)	55	10	37
909 373	ESWB 90/100 TZ	A 30 (K600)	55	10	37
908 974	ESWB 90/100 TZ	A 45 (K400)	55	10	37
909 375	ESWB 90/100 TZ	A 6 (K2000)	55	10	37
908 973	ESWB 90/100 TZ	A 65 (K280)	55	10	37
909 506	PSWB 75/75 TZ	A 100 (K220)	51	10	34
909 501	PSWB 75/75 TZ	A 16 (K1200)	51	10	34
909 507	PSWB 75/75 TZ	A 160 (K120)	51	10	34
909 502	PSWB 75/75 TZ	A 30 (K600)	51	10	34
909 503	PSWB 75/75 TZ	A 45 (K400)	51	10	34
909 500	PSWB 75/75 TZ	A 6 (K2000)	51	10	34
909 504	PSWB 75/75 TZ	A 65 (K280)	51	10	34

BSGB / ESB

Abrasive belts

VA: for stainless steel, steel, light metals, plastics and wood



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 100st
908 338	BSGB 3/305 VA K 60	60	5	20	3
908 339	BSGB 3/305 VA K 80	80	5	20	3
908 341	BSGB 3/305 VA K 120	120	5	20	3
908 343	BSGB 6/305 VA K 60	60	11	20	7
908 344	BSGB 6/305 VA K 80	80	10	20	6
908 345	BSGB 6/305 VA K 100	100	8	20	5
908 346	BSGB 6/305 VA K 120	120	8	20	5
908 350	BSGB 12/305 VA K 40	40	13	20	8
908 351	BSGB 12/305 VA K 60	60	13	20	8
908 352	BSGB 12/305 VA K 80	80	13	20	8
908 353	BSGB 12/305 VA K 100	100	13	20	8
908 354	BSGB 12/305 VA K 120	120	11	20	7
908 355	BSGB 12/305 VA K 180	180	13	20	8
908 356	BSGB 12/305 VA K 240	240	13	20	8
908 357	BSGB 12/305 VA K 320	320	13	20	8
907 981	BSGB 3/520 VA K 60	60	5	20	3
907 982	BSGB 3/520 VA K 80	80	5	20	3
907 983	BSGB 3/520 VA K 100	100	5	20	3
907 984	BSGB 3/520 VA K 120	120	5	20	3
900 835	BSGB 6/520 VA K 40	40	15	20	9
900 836	BSGB 6/520 VA K 60	60	14	20	8
900 837	BSGB 6/520 VA K 80	80	10	20	6
900 838	BSGB 6/520 VA K 100	100	10	20	6
900 839	BSGB 6/520 VA K 120	120	11	20	7
907 918	BSGB 6/520 VA K 180	180	10	20	6
907 919	BSGB 6/520 VA K 240	240	10	20	6
907 920	BSGB 6/520 VA K 320	320	10	20	6
900 845	BSGB 12/520 VA K 40	40	21	20	12
900 846	BSGB 12/520 VA K 60	60	13	20	8
900 847	BSGB 12/520 VA K 80	80	11	20	7
900 848	BSGB 12/520 VA K 100	100	13	20	8
900 849	BSGB 12/520 VA K 120	120	13	20	8
907 921	BSGB 12/520 VA K 180	180	14	20	8
907 922	BSGB 12/520 VA K 240	240	14	20	8
907 923	BSGB 12/520 VA K 320	320	14	20	8



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 100st
900 855	BSGB 16/520 VA K 40	40	15	20	9
900 856	BSGB 16/520 VA K 60	60	15	20	9
900 857	BSGB 16/520 VA K 80	80	15	20	9
900 858	BSGB 16/520 VA K 100	100	14	20	8
900 859	BSGB 16/520 VA K 120	120	14	20	8
907 924	BSGB 16/520 VA K 180	180	17	20	10
907 925	BSGB 16/520 VA K 240	240	17	20	10
900 874	BSGB 19/520 VA K 40	40	28	20	17
900 875	BSGB 19/520 VA K 60	60	17	20	10
900 876	BSGB 19/520 VA K 80	80	17	20	10
900 877	BSGB 19/520 VA K 100	100	14	20	9
900 878	BSGB 19/520 VA K 120	120	14	20	9
907 927	BSGB 19/520 VA K 180	180	19	20	12
907 928	BSGB 19/520 VA K 240	240	21	20	12
907 929	BSGB 19/520 VA K 320	320	20	20	12
908 955	BSGB 30/533 VA K 40	40	28	20	17
908 585	BSGB 30/533 VA K 60	60	25	20	15
908 586	BSGB 30/533 VA K 80	80	25	20	15
908 587	BSGB 30/533 VA K 100	100	25	20	15
908 588	BSGB 30/533 VA K 120	120	25	20	15
908 589	BSGB 30/533 VA K 150	150	25	20	15
908 590	BSGB 30/533 VA K 180	180	25	20	15
909 694	BSGB 30/610 VA K 40	40	36	20	21
909 695	BSGB 30/610 VA K 60	60	31	20	18
909 696	BSGB 30/610 AO K 80	80	31	20	18
909 698	BSGB 30/610 AO K 120	120	31	20	18
909 700	BSGB 30/610 AO K 180	180	31	20	18
901 235	BSGB 35/450 VA K 60	60	22	20	13
901 236	BSGB 35/450 VA K 80	80	21	20	13
901 238	BSGB 35/450 VA K 120	120	19	20	11
901 240	BSGB 35/450 VA K 180	180	19	20	11
901 241	BSGB 35/450 VA K 220	220	14	20	9
901 242	BSGB 35/450 VA K 240	240	14	20	9
901 227	BSGB 40/505 VA K 60	60	26	20	16
901 228	BSGB 40/505 VA K 80	80	24	20	14
901 230	BSGB 40/505 VA K 120	120	27	20	16



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 100st
904 100	BSGB 50/450 AO K 40	40	25	20	17
901 245	BSGB 50/450 AO K 60	60	20	20	13
901 246	BSGB 50/450 AO K 80	80	20	20	13
901 247	BSGB 50/450 AO K 100	100	18	20	12
901 248	BSGB 50/450 AO K 120	120	18	20	12
901 249	BSGB 50/450 AO K 150	150	18	20	12
901 250	BSGB 50/450 AO K 180	180	18	20	12
901 251	BSGB 50/450 AO K 220	220	15	20	10
901 252	BSGB 50/450 AO K 240	240	15	20	10
901 253	BSGB 50/450 AO K 320	320	15	20	10
901 255	BSGB 63/950 AO K 60	60	46	20	31
901 256	BSGB 63/950 AO K 80	80	44	20	29
901 258	BSGB 63/950 AO K 120	120	44	20	29
908 960	ESWB 90/100 AO K 40	40	30	20	20
908 961	ESWB 90/100 AO K 60	60	26	20	17
908 962	ESWB 90/100 AO K 80	80	24	20	16
908 963	ESWB 90/100 AO K 100	100	25	20	17
908 964	ESWB 90/100 AO K 120	120	25	20	17
908 966	ESWB 90/100 AO K 180	180	25	20	17
908 737	ESWB 100/100 AO K 40	40	40	20	26
908 738	ESWB 100/100 AO K 60	60	28	20	19
908 739	ESWB 100/100 AO K 80	80	26	20	17
908 740	ESWB 100/100 AO K 120	120	25	20	17
908 741	ESWB 100/100 AO K 180	180	25	20	17



BSGB FVV

Non-woven belts

FVV: Reinforced non-woven nylon surface conditioning belts
for stainless steel and non-ferrous metals.



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 5 kartonger
900 860	BSGB 6/520 FVV	C (Coarse)	25	20	17
900 861	BSGB 6/520 FVV	M (Medium)	25	20	17
908 715	BSGB 6/520 FVV	UF (Ultra Fine)	30	20	20
900 862	BSGB 6/520 FVV	VF (Very Fine)	25	20	17
900 863	BSGB 12/520 FVV	C (Coarse)	48	20	32
900 864	BSGB 12/520 FVV	M (Medium)	46	20	30
908 701	BSGB 12/520 FVV	SF (Super Fine)	47	20	31
908 716	BSGB 12/520 FVV	UF (Ultra Fine)	48	20	32
900 865	BSGB 12/520 FVV	VF (Very Fine)	46	20	30
900 866	BSGB 16/520 FVV	C (Coarse)	57	20	38
900 867	BSGB 16/520 FVV	M (Medium)	55	20	36
900 868	BSGB 16/520 FVV	VF (Very Fine)	52	20	35
900 879	BSGB 19/520 FVV	C (Coarse)	72	20	48
900 880	BSGB 19/520 FVV	M (Medium)	64	20	42
908 702	BSGB 19/520 FVV	SF (Super Fine)	62	20	41
908 813	BSGB 19/520 FVV	UF (Ultra Fine)	70	20	47
900 881	BSGB 19/520 FVV	VF (Very Fine)	62	20	41
908 922	BSGB 6/305 FVV	C (Coarse)	18	20	12
908 358	BSGB 6/305 FVV	M (Medium)	18	20	12
908 360	BSGB 6/305 FVV	SF (Super Fine)	18	20	12
908 359	BSGB 6/305 FVV	VF (Very Fine)	18	20	12
908 361	BSGB 9/305 FVV	M (Medium)	24	20	16
908 363	BSGB 9/305 FVV	SF (Super Fine)	24	20	16
908 362	BSGB 9/305 FVV	VF (Very Fine)	24	20	16
908 591	BSGB 30/533 FVV	C (Coarse)	87	5	58
908 592	BSGB 30/533 FVV	M (Medium)	78	5	52
908 703	BSGB 30/533 FVV	SF (Super Fine)	78	5	52
908 699	BSGB 30/533 FVV	UF (Ultra Fine)	118	5	79
908 593	BSGB 30/533 FVV	VF (Very Fine)	78	5	52
909 701	BSGB 30/610 FVV	C (Coarse)	93	5	62
909 702	BSGB 30/610 FVV	M (Medium)	89	5	59
909 703	BSGB 30/610 FVV	VF (Very Fine)	87	5	58
909 704	BSGB 30/610 FVV	SF (Super Fine)	87	5	58
909 766	BSGB 30/610 FVV	UF (Ultra Fine)	52	5	35
907 103	BSGB 50/450 FVV	C (Coarse)	114	5	76
907 038	BSGB 50/450 FVV	M (Medium)	111	5	74
907 628	BSGB 50/450 FVV	SF (Super Fine)	93	5	62
907 027	BSGB 50/450 FVV	UF (Ultra Fine)	166	5	110
903 444	BSGB 50/450 FVV	VF (Very Fine)	93	5	62
907 954	BSGB 63/950 FVV	C (Coarse)	288	5	192
907 104	BSGB 63/950 FVV	M (Medium)	295	5	196
903 445	BSGB 63/950 FVV	VF (Very Fine)	253	5	168

Non-woven belts



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 5 kartonger
907 974	ESB 75/30 FVV	C (Coarse)	64	20	42
907 975	ESB 75/30 FVV	M (Medium)	64	20	42
907 976	ESB 75/30 FVV	VF (Very Fine)	64	20	42
907 855	PSWB 75/75 FVV	C (Coarse)	132	5	88
907 856	PSWB 75/75 FVV	M (Medium)	132	5	88
907 857	PSWB 75/75 FVV	VF (Very Fine)	132	5	88
907 852	PSWB 120/80 FVV	C (Coarse)	255	5	170
907 853	PSWB 120/80 FVV	M (Medium)	247	5	165
907 854	PSWB 120/80 FVV	VF (Very Fine)	238	5	159
908 968	ESWB 90/100 FVV	C (Coarse)	160	5	107
908 969	ESWB 90/100 FVV	M (Medium)	164	5	110
908 970	ESWB 90/100 FVV	VF (Very Fine)	161	5	107
908 742	ESWB 100/100 FVV	C (Coarse)	250	5	166
908 743	ESWB 100/100 FVV	M (Medium)	243	5	162
908 744	ESWB 100/100 FVV	VF (Very Fine)	204	5	136



FVVS

Compressed non-woven fibre discs with velcro backing

For removing score marks left by fibre discs. Saves grinding operations with fibre discs of different grades.



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		Vid köp av minst 50st
913 030	FVVS 115-K	EC (Extra Coarse)	68	10	46
913 060	FVVS 115-K	VC (Very Coarse)	71	10	47
906 377	FVVS 115-K	C (Coarse)	55	10	37
906 378	FVVS 115-K	M (Medium)	55	10	37
906 379	FVVS 115-K	VF (Very Fine)	52	10	34
906 380	FVVS 115-K	SF (Super Fine)	71	10	47
912 953	FVVS 125-K	C (Coarse)	63	10	42
912 915	FVVS 125-K	M (Medium)	63	10	42
912 954	FVVS 125-K	VF (Very Fine)	63	10	42
908 013	FVVS 178-K	C (Coarse)	208	10	139
908 014	FVVS 178-K	M (Medium)	134	10	89
908 015	FVVS 178-K	VF (Very Fine)	176	10	117
908 016	FVVS 178-K	SF (Super Fine)	199	10	133





SUN-fix

Turn On - Quick Change System



SB-VA/ST High grinding performance due to TOP Size grain.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
908 642	SB 19 VA/ST K 60	Steel, Stainless steel Stahl, Rostfreier Stahl	5,42	100	3,61
908 643	SB 19 VA/ST K 80		5,42	100	3,61
908 644	SB 19 VA/ST K 120		5,42	100	3,61
900 920	SB 25 VA/ST K 36		5,79	100	3,86
900 921	SB 25 VA/ST K 60		5,79	100	3,86
900 922	SB 25 VA/ST K 80		5,79	100	3,86
908 645	SB 25 VA/ST K 120		5,79	100	3,86
900 923	SB 50 VA/ST K 36		8,52	100	5,68
900 924	SB 50 VA/ST K 60		7,20	100	4,80
900 925	SB 50 VA/ST K 80		7,20	100	4,80
908 646	SB 50 VA/ST K 120		7,20	100	4,80
900 926	SB 75 VA/ST K 36		11,36	50	7,58
900 927	SB 75 VA/ST K 60		10,91	50	7,27
900 928	SB 75 VA/ST K 80		10,91	50	7,27
908 647	SB 75 VA/ST K 120		10,91	50	7,27

SB-VA with NORZON®-Alumina-Zirconia for long service life



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
900 930	SB 50 VA K 36	Stainless steel, aluminium	7,56	100	4,83
900 931	SB 50 VA K 60		7,13	100	4,83
900 932	SB 50 VA K 80		7,13	100	4,83
900 933	SB 75 VA K 36	Rostfreier Stahl, Aluminium	12,85	50	8,56
900 934	SB 75 VA K 60		12,37	50	8,25
900 935	SB 75 VA K 80		12,37	50	8,25

Turn On - Quick Change System

SB-SC with silicon carbide



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
900 990	SB 50 SC K 36	Titanium, Brass, Copper, Bronze, other non ferrous metals	7,56	100	5,04
900 991	SB 50 SC K 60		6,65	100	4,44
900 992	SB 50 SC K 80		6,65	100	4,44
900 993	SB 50 SC K 120	Titan, Messing, Kupfer, Bronze, andere NE-Metalle	6,65	100	4,44
900 994	SB 50 SC K 180		6,65	100	4,44
900 995	SB 50 SC K 240		6,65	100	4,44

FVVS - Reinforced non-woven discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
900 940	FVVS 19 C	Aluminium, Steel, Stainless steel, Plastics	7,96	50	5,31
900 941	FVVS 19 VF		7,96	50	5,31
900 942	FVVS 25 C		8,69	50	5,79
900 943	FVVS 25 M		8,69	50	5,79
900 944	FVVS 25 VF		8,69	50	5,79
900 945	FVVS 50 C	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	13,39	50	8,93
900 946	FVVS 50 M		13,39	50	8,93
900 947	FVVS 50 VF		13,39	50	8,93
900 948	FVVS 75 C		22	25	15
900 949	FVVS 75 M		22	25	15
900 950	FVVS 75 VF		22	25	15

FVBS - Open web, non-woven nylon discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
913 435	FVBS 25 C	Aluminium, Steel, Stainless steel, Plastics	9,24	50	6
913 436	FVBS 25 M		9,11	50	6
913 437	FVBS 25 F		8,99	50	6
913 438	FVBS 25 VF		8,99	50	6
913 439	FVBS 50 C		14,48	50	10
913 440	FVBS 50 M	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	14,18	50	9
913 441	FVBS 50 F		11,37	50	8
913 442	FVBS 50 VF		11,37	50	8
913 443	FVBS 75 C		24,96	25	17
913 444	FVBS 75 M		24,83	25	17
913 445	FVBS 75 F		16,04	25	11
913 446	FVBS 75 VF		16,04	25	11

Backing pads



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Hardness Härte	st vid köp av en kartong		Vid köp av minst 10st
900 970	SBH 19 M	Medium - Mittel	246	1	164
900 971	SBH 25 M	Medium - Mittel	116	1	77
900 972	SBH 50 M	Medium - Mittel	126	1	84
900 973	SBH 50 H	Hard - Hart	149	1	99
913 309	SBH 50 HP	Hardplastic - Hartplastik	192	1	128
900 974	SBH 75 M	Medium - Mittel	145	1	96
900 975	SBH 75 H	Hard - Hart	172	1	115
908 600	SBH 75 M14	Medium - Mittel	321	1	214

SUN-fix

Roll On - Quick Change System



SB-VA/ST High grinding performance due to TOP Size grain.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
908 454	SB R 50 VA/ST K 36	Stainless steel, steel, hastalloy, titanium, cast steel	8,52	100	5,68
908 455	SB R 50 VA/ST K 60		7,20	100	4,80
908 456	SB R 50 VA/ST K 80		7,20	100	4,80
908 764	SB R 50 VA/ST K 120		7,20	100	4,80
908 463	SB R 75 VA/ST K 36	Rostfreier Stahl, Stahl, Hastalloy, Titanium, Stahlguss	11,36	50	7,58
908 464	SB R 75 VA/ST K 60		10,91	50	7,27
908 465	SB R 75 VA/ST K 80		10,91	50	7,27
908 765	SB R 75 VA/ST K 120		10,91	50	7,27

SB-VA with NORZON®-Alumina-Zirconia for long service life



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
908 451	SB R 50 VA K 36	Stainless steel, aluminium	7,56	100	4,83
908 452	SB R 50 VA K 60		7,13	100	4,83
908 453	SB R 50 VA K 80		7,13	100	4,83
908 766	SB R 50 VA K 120		7,13	100	4,83
908 460	SB R 75 VA K 36	Rostfreier Stahl, Aluminium	12,85	50	8,56
908 461	SB R 75 VA K 60		12,37	50	8,25
908 462	SB R 75 VA K 80		12,37	50	8,25
908 767	SB R 75 VA K 120		12,37	50	8,25

Roll On - Quick Change System SB-SC with silicon carbide



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
908 457	SB R 50 SC K 36	Titanium, Brass, Copper, Bronze, other non ferrous metals	7,56	100	5,04
908 458	SB R 50 SC K 60		6,65	100	4,44
908 459	SB R 50 SC K 80		6,65	100	4,44
908 466	SB R 50 SC K 120	Titan, Messing, Kupfer, Bronze, andere NE-Metalle	6,65	100	4,44
908 467	SB R 50 SC K 180		6,65	100	4,44
908 468	SB R 50 SC K 240		6,65	100	4,44

FVVS - Reinforced non-woven discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
908 477	FVVS R 50 C	Aluminium, Steel, Stainless steel, Plastics	13	50	9
908 476	FVVS R 50 M		13	50	9
908 475	FVVS R 50 VF		13	50	9
908 480	FVVS R 75 C	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	22	25	15
908 479	FVVS R 75 M		22	25	15
908 478	FVVS R 75 VF		22	25	15

FVBS - Open web, non-woven nylon discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
913 447	FVBS R 50 C	Aluminium, Steel, Stainless steel, Plastics	15	50	10
913 448	FVBS R 50 M		15	50	10
913 449	FVBS R 50 F		12	50	8
913 450	FVBS R 50 VF	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	12	50	8
913 451	FVBS R 75 C		26	25	17
913 452	FVBS R 75 M		26	25	17
913 453	FVBS R 75 F		17	25	11
913 454	FVBS R 75 VF		17	25	11

FSB - Felt polishing disc



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 100st
908 926	FSB 50 R	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	22	25	15
908 762	FSB 75 R		32	50	21

Roll On - Quick Change System

LFS - Mini flap discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
908 785	LFS R 50 VA K 40	Stainless steel, aluminium Rostfreier Stahl, Aluminium	48	10	32
908 786	LFS R 50 VA K 60		48	10	32
908 787	LFS R 50 VA K 80		48	10	32
908 788	LFS R 75 VA K 40		66	10	44
908 789	LFS R 75 VA K 60		66	10	44
908 790	LFS R 75 VA K 80		66	10	44

LFS-F - Flexible mini flap discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
908 791	LFS-F R 50 VA K 40	Aluminium, Steel, Stainless steel, Plastics	48	10	32
908 792	LFS-F R 50 VA K 60		48	10	32
908 793	LFS-F R 50 VA K 80		48	10	32
908 794	LFS-F R 75 VA K 40	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	66	10	44
908 795	LFS-F R 75 VA K 60		66	10	44
908 796	LFS-F R 75 VA K 80		66	10	44

Roll On - Quick Change System

Backing pads



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Hardness Härte	st vid köp av en kartong		Vid köp av minst 10st
908 797	SBH R 25 M	Medium - Mittel	116	1	77
908 525	SBH R 50 M	Medium - Mittel	126	1	84
909 104	SBH R 50 H	Hard - Hart	149	1	99
913 310	SBH R 50 HP	Hardplastic - Hartplastik	167	1	111
908 526	SBH R 75 M	Medium - Mittel	145	1	96
913 308	SBH R 75 H	Hard - Hart	173	1	115
908 602	SBH R 75 M M14	Medium - Mittel	321	1	214
913 307	AD M14-1/4"	Adapter M14 - 1/4" for SBH	156	1	104

SUN-Press

Unitized non woven abrasives

For deburring, cleaning, blending and finishing up to pre-polishing

Discs with **Roll On** - Quick Change System



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
908 801	SUN-Press R 75 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	128	5	86
909 624	SUN-Press R 75 4SF		95	5	63
909 625	SUN-Press R 75 6AF		96	5	64
908 800	SUN-Press R 75 8AM		99	5	66

Discs with fibre backing for angle grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
909 626	SUN-Press 115 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	339	5	226
909 803	SUN-Press 115 6SF		345	5	230
909 627	SUN-Press 115 8AM		389	5	260

Discs for fillet weld grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
909 475	SUN-Press 150/3 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	263	10	175
909 476	SUN-Press 150/3 8AM		269	10	179
909 623	SUN-Press 150/3 10AM		330	10	220
909 471	SUN-Press 150/6 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	243	10	162
909 472	SUN-Press 150/6 4SF		326	10	217
909 473	SUN-Press 150/6 6SF		350	10	233
909 474	SUN-Press 150/6 8AM		378	10	252
909 622	SUN-Press 150/6 10AM		499	10	332



Unitized non woven abrasives

Discs with center hole for straight grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
909 615	SUN-Press 50/3 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	70	5	47
909 611	SUN-Press 50/3 8AM		68	5	45
909 604	SUN-Press 50/6 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	75	5	50
909 605	SUN-Press 50/6 4SF		78	5	52
909 609	SUN-Press 50/6 6SF		83	5	55
909 613	SUN-Press 50/6 8AM		135	5	90
909 607	SUN-Press 75/3 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	77	5	51
909 610	SUN-Press 75/3 8AM		65	5	43
909 614	SUN-Press 75/6 2SM	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	100	5	67
909 606	SUN-Press 75/6 4SF		117	5	78
909 608	SUN-Press 75/6 6SF		151	5	101
909 612	SUN-Press 75/6 8AM		151	5	101

SUN-Roll

Unitized non woven abrasives

For deburring, blending and polishing applications.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartong
909 629	SUN-Roll 150/13 B sc f	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	738	4	492
909 631	SUN-Roll 150/25 A		1098	3	732
909 632	SUN-Roll 150/25 B		1055	3	703
909 633	SUN-Roll 150/25 C		1042	3	695
909 634	SUN-Roll 200/25 A		1331	3	887
909 635	SUN-Roll 200/25 B		1346	3	897
909 636	SUN-Roll 200/25 C		1433	3	955
909 637	SUN-Roll 150/50 A		1768	1	1 179
909 638	SUN-Roll 150/50 B		1643	1	1 096
909 639	SUN-Roll 150/50 C		1643	1	1 096
909 640	SUN-Roll 200/50 A		2246	1	1 497
909 641	SUN-Roll 200/50 B		2213	1	1 475
909 642	SUN-Roll 200/50 C		2562	1	1 708

SUN-Press

Unitized non woven abrasives

For deburring, cleaning, blending and finishing

Unitized Mounted Points



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 10st
913 150	SUN-Press A0606 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	50	5	33
913 151	SUN-Press A0606 8SF		50	5	33
913 152	SUN-Press A0613 6SF		60	5	40
913 153	SUN-Press A0613 8SF		60	5	40
913 154	SUN-Press A1019 6SF		73	5	48
913 155	SUN-Press A1019 8SF		73	5	48
913 156	SUN-Press A1325 6SF		84	5	56
913 157	SUN-Press A1325 8SF		84	5	56
913 158	SUN-Press B1910 6SF		69	5	46
913 159	SUN-Press B1910 8SF		69	5	46
913 160	SUN-Press B2506 6SF		86	5	57
913 161	SUN-Press B2506 8SF		86	5	57
913 162	SUN-Press D1964 6SF		250	5	167
913 163	SUN-Press D1964 8SF		250	5	167
913 164	SUN-Press L1929 6SF		143	5	95
913 165	SUN-Press L1929 8SF		143	5	95
913 166	SUN-Press L2570 6SF		279	5	186
913 167	SUN-Press L2570 8SF		279	5	186
913 168	SUN-Press K1732 6SF		143	5	95
913 169	SUN-Press K1732 8SF		143	5	95
913 170	SUN-Press K2250 6SF		208	5	138
913 171	SUN-Press K2250 8SF		208	5	138
913 172	SUN-Press G1722 6SF		122	5	82
913 173	SUN-Press G1722 8SF		122	5	82
913 174	SUN-Press O1925 6SF		183	5	122
913 175	SUN-Press O1925 8SF		183	5	122
913 176	SUN-Press F1616 6SF		122	5	82
913 177	SUN-Press F1616 8SF		122	5	82
913 178	SUN-Press F2525 6SF		173	5	115
913 179	SUN-Press F2525 8SF		173	5	115

SF, SFK, SP, SK, SR

Cartridge rolls, resin pads

For grinding difficult radii, curved areas etc.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Mandrel Dorn	st vid köp av en kartong		Vid köp av minst 500st
901 811	SF 0840 K 80	FG 6-1/8"	8	100	5
901 812	SF 0840 K 150	FG 6-1/8"	8	100	5
901 813	SF 1340 K 80	FG 6-1/8"	11	50	7
901 814	SF 1340 K 150	FG 6-1/8"	11	50	7
901 815	SF 1640 K 80	FG 6-1/8"	15	50	10
901 816	SF 1640 K 150	FG 6-1/8"	16	50	11
901 817	SF 1940 K 80	FG 6-1/4"	18	50	12
901 818	SF 1940 K 150	FG 6-1/4"	20	50	14

901 819	SFK 1940 K 80	FG 6-1/8"	19	50	12
901 820	SFK 1940 K 150	FG 6-1/8"	20	50	13

901 827	SK 76 K 80	FG 6-1/4"-20	53	25	35
908 668	SK 76 K 100	FG 6-1/4"-20	53	25	35
901 828	SK 76 K 150	FG 6-1/4"-20	53	25	35

908 670	SR 40 K 150	FG 6 8-32	25	100	17
901 829	SR 40 K 100	FG 6 8-32	25	100	17
901 836	SR 40 K 80	FG 6 8-32	25	100	17
908 673	SR 76 K 150	FG 6-1/4"-20	35	25	23
901 832	SR 76 K 100	FG 6-1/4"-20	35	25	23
901 838	SR 76 K 80	FG 6-1/4"-20	37	25	25

Unitized non woven abrasives



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Shank Schaft	st vid köp av en kartong		Vid köp av minst 5st
907 950	FG 6-1/8"	6 mm	58	1	39
907 951	FG 6-1/4"		39	1	26
907 952	FG 6 8-32		58	1	39
907 953	FG 6 1/4-20		51	1	35

OPN PLUS

Sanding discs for orbital grinder

Universal sanding for dry and wet applications



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
909 936	OPN PLUS 120 K 40	Stainless steel, Aluminium, Carbon, Wood, Composites, Fibre glass, Lacquer	13	50	8
909 937	OPN PLUS 120 K 60		12	50	8
909 962	OPN PLUS 120 K 80		11	50	7
909 963	OPN PLUS 120 K 120		11	50	7
909 964	OPN PLUS 120 K 180		11	50	7
909 965	OPN PLUS 120 K 220	Rostfreier Stahl, Aluminium, Karbon, Holz, Composites, Glasfaser, Lacke	11	50	7
909 966	OPN PLUS 120 K 320		11	50	7
909 967	OPN PLUS 120 K 400		11	50	7
909 968	OPN PLUS 120 K 600		11	50	7
909 938	OPN PLUS 150 K 40	Stainless steel, Aluminium, Carbon, Wood, Composites, Fibre glass, Lacquer	17	50	11
909 939	OPN PLUS 150 K 60		16	50	11
909 969	OPN PLUS 150 K 80		15	50	10
909 970	OPN PLUS 150 K 120		15	50	10
909 971	OPN PLUS 150 K 180		15	50	10
909 972	OPN PLUS 150 K 220	Rostfreier Stahl, Aluminium, Karbon, Holz, Composites, Glasfaser, Lacke	15	50	10
909 973	OPN PLUS 150 K 320		15	50	10
909 974	OPN PLUS 150 K 400		15	50	10
909 975	OPN PLUS 150 K 600		15	50	10
909 976	OPN PLUS 150 K 800		15	50	10



Bristle Disc

For cleaning, removal of rust, paint and coatings, for deburring, blending and finishing up to pre-polishing

Discs with **Roll On** - Quick Change System



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 40st
913 103	BD R 50 K 36	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	84	10	56
913 104	BD R 50 K 50		71	10	47
913 105	BD R 50 K 80		75	10	50
913 106	BD R 50 K 120		72	10	48
913 107	BD R 75 K 36		180	10	120
913 108	BD R 75 K 50		112	10	74
913 109	BD R 75 K 80		123	10	82
913 110	BD R 75 K 120		116	10	77


Discs with fibre backing for angle grinder

Scheiben mit Fiberrücken für Winkelschleifer



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 10st
913 144	BD 115 K 50	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	1080	5	720
913 145	BD 115 K 80		1080	5	720
913 146	BD 115 K 120		1080	5	720

Discs for fillet weld grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
913 138	BDS 150 K 36	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	153	10	102
913 139	BDS 150 K 50		174	10	116
913 140	BDS 150 K 80		113	10	75
913 141	BDS 150 K 120		128	10	85
913 142	BDS 150 K 220		108	10	72
913 143	BDS 150 K 400		137	10	91

Complete disc Kit for fillet weld grinder or working benches



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 132	BDR 150 K 36	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	1300	1	869
913 133	BDR 150 K 50		1994	1	1 329
913 134	BDR 150 K 80		1300	1	869
913 221	BDR 150 C K 80		1475	1	983
913 135	BDR 150 K 120		1300	1	869
913 136	BDR 150 K 220		1300	1	840
913 137	BDR 150 K 400		1300	1	869

BDR-A (Alternative Quality)

Complete disc Kit for fillet weld grinder or working benches



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 455	BDR-A 150 K 80	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	755	1	500
913 456	BDR-A 150 K 120		1000	1	670

Complete disc Kit mounted on a 6mm shank



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 111	BDK 50 K 80	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	427	6	285
913 112	BDK 50 K 120		507	6	338
913 113	BDK 50 K 220		518	6	345
913 114	BDK 75 K 80		434	6	290
913 115	BDK 75 K 120		423	6	282
913 116	BDK 75 K 220		445	6	297

Discs with center hole for straight grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 122	BDS 25 K 80		31	24	21
913 123	BDS 25 K 120		31	24	20
913 124	BDS 50 K 80		96	20	64
913 125	BDS 50 K 120		92	20	62
913 126	BDS 50 K 220		88	20	59
913 127	BDS 50 K 400		79	20	53
913 128	BDS 75 K 80		98	20	65
913 129	BDS 75 K 120		87	20	58
913 130	BDS 75 K 220		113	20	75
913 131	BDS 75 K 400		95	20	63

Accessories / Spindles for Bristle Disc



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Shank / Thread Schaft / Gewinde	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 147	SF BDR 150	M 14	217	1	145
913 149	FD 6-10 BDS	6mm	278	1	186
913 180	FD 3-1/8"	3mm	290	1	193
913 182	FD 1/4"-10 BDS	1/4"	630	1	419

FVW / FVK COARSE

Reinforced non-woven fibre wheel

For finishing and polishing applications on stainless steel.

Produces a neat grinding pattern.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		Vid köp av minst 2 kartonger
909 840	FVW 110/100	COARSE	1480	1	990



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 223	FVK 80/50	COARSE	355	4	235

Aluminium

Fibre Discs

with special coating for best performance on Aluminium.

No additional lubricant is needed, even when working on soft Alu



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 250st
913 199	KFS 115 AL K 36	Aluminium	42	25	28
913 200	KFS 115 AL K 60		38	25	25
913 201	KFS 115 AL K 80		38	25	25
913 202	KFS 115 AL K 120		38	25	25
913 203	KFS 125 AL K 36		54	25	36
913 204	KFS 125 AL K 60		43	25	29
913 205	KFS 125 AL K 80		43	25	28
913 206	KFS 125 AL K 120		41	25	28
913 207	KFS 178 AL K 36		72	25	48
913 208	KFS 178 AL K 60		61	25	41
913 209	KFS 178 AL K 80		60	25	40
913 210	KFS 178 AL K 120		60	25	40

SUN-fix Discs

with special coating for best performance on Aluminium.

No additional lubricant is needed, even when working on soft Alu



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
913 183	SB 50 AL K 36	Aluminium	20	100	13
913 184	SB 50 AL K 60		18	100	12
913 185	SB 50 AL K 80		16	100	11
913 186	SB 50 AL K 120		16	100	10
913 187	SB 75 AL K 36		23	50	15
913 188	SB 75 AL K 60		20	50	12
913 189	SB 75 AL K 80		19	50	12
913 190	SB 75 AL K 120		19	50	12
913 191	SB R 50 AL K 36		20	100	13
913 192	SB R 50 AL K 60		18	100	12
913 193	SB R 50 AL K 80		16	100	11
913 194	SB R 50 AL K 120		16	100	10
913 195	SB R 75 AL K 36		23	50	15
913 196	SB R 75 AL K 60		20	50	13
913 197	SB R 75 AL K 80		19	50	13
913 198	SB R 75 AL K 120		19	50	12

Discs for palm sander

Velcro sanding disc with 6 holes - very good performance.

Solid disc - no breaking even when working on edges and corners.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 500st
913 211	KPS 150-K AL K 80	Aluminium, Inox	7	100	4,67
913 212	KPS 150-K AL K 120		7	100	4,54
913 213	KPS 150-K AL K 150		7	100	4,54
913 214	KPS 150-K AL K 180		7	100	4,54
913 215	KPS 150-K AL K 240		7	100	4,54

Discs for palm sander

Velcro sanding disc without holes - very good performance.

Solid disc - no breaking even when working on edges and corners.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		Vid köp av minst 500st
913 211	KPS 150-K AL K 80	Aluminium, Inox	7	100	4,67
913 212	KPS 150-K AL K 120		7	100	4,54
913 213	KPS 150-K AL K 150		7	100	4,54
913 214	KPS 150-K AL K 180		7	100	4,54
913 215	KPS 150-K AL K 240		7	100	4,54



BVSB

Laminated cotton discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
913 025	BVSB 75/3 A 36 KGX	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	83	5	55
913 026	BVSB 75/3 A 80 KGX		83	5	55
913 027	BVSB 75/3 A 120 KGX		83	5	55
909 794	BVSB 150/3 A 36 KGX	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	382	1	254
909 799	BVSB 150/3 A 80 KGX		382	1	254
909 800	BVSB 150/3 A 120 KGX		382	1	254
908 779	BVSB R 50 A36F	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	62	5	41
908 780	BVSB R 50 A80F		62	5	41
908 781	BVSB R 50 A120F		62	5	41
908 782	BVSB R 75 A36F	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	72	5	48
908 783	BVSB R 75 A80F		72	5	48
908 784	BVSB R 75 A120F		72	5	48

BVSS

Laminated cotton grinding discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 10st
908 261	BVSS 115 A24 MTX	Stainless steel, Aluminium Rostfreier stahl, Aluminium	201	1	134
908 262	BVSS 115 A24 GFX		201	1	134

BV

Cotton-reinforced mounted points



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
908 263	A 10/20 BV A36 GFX	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	75	5	50
908 264	A 13/25 BV A36 GFX		87	5	58
908 265	B 38/13 BV A36 GFX		146	5	98
908 266	B 19/06 BV A54 GFX		66	5	44
909 466	F 2525 BV A 36 GFX		178	5	119
909 461	F 2525 BV A 80 GFX		178	5	119
909 467	C 2525 BV A 36 GFX		154	5	103
909 462	C 2525 BV A 80 GFX		154	5	103
909 468	B 4010 BV A 36 GFX		218	5	145
909 463	B 4010 BV A 80 GFX		218	5	145
909 469	K 1119 BV A 36 GFX		88	5	59
909 464	K 1119 BV A 80 GFX		88	5	59
909 470	O 1012 BV A 36 GFX		71	5	47
909 465	O 1012 BV A 80 GFX		71	5	47

FVSS

Combined non-woven flap discs

Weld cleaning and finishing in one step



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
909 523	FVSS 125 C	Stainless steel, Steel Rostfreier stahl, Stahl	226	10	151
909 524	FVSS 125 M		226	10	151
909 525	FVSS 125 VF		226	10	151

FVV-LFT

Non-woven flap disc

For processing stainless steel welds.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 20st
909 825	FVVS-LFT 125 M	Stainless steel Rostfreier stahl	74	10	49

TZS

Trizact velcro discs

For all sanding work to pre-buffing. Extraordinary reduction of work time and long service life.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
913 388	TZS 115-K A 160 (K120)	all metals alle Metalle	41	25	28
913 389	TZS 115-K A 80 (K240)		41	25	28
913 390	TZS 115-K A 65 (K280)		41	25	28
913 391	TZS 115-K A 45 (K400)		41	25	28
913 392	TZS 115-K A 30 (K600)		41	25	28
913 393	TZS 115-K A 16 (K1200)		41	25	28
913 394	TZS 115-K A 6 (K2500)		41	25	28
909 921	TZS 125-K A 160 (K120)	all metals alle Metalle	49	25	33
909 922	TZS 125-K A 80 (K240)		49	25	33
909 924	TZS 125-K A 45 (K400)		49	25	33
909 925	TZS 125-K A 30 (K600)		49	25	33

LFS-C

Flap Discs Corner (Zirconia)

Flap disc with new design! It is very suitable for easy modeling in corners and the removal of big fillet weld seams. For general rough grinding.



LFS = Type 27 (flat/flach)



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
912 801	LFS-C 125 VA K 40	Stainless steel, Steel Rostfreier stahl, Stahl	73	10	49
912 802	LFS-C 125 VA K 60		73	10	49

BSGB Cubitron II

Abrasive belts

Cubiron II belts guarantee optimal performance, a consistent surface finish and lower grinding temperatures.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		Vid köp av minst 100st
913 272	BSGB 6/520 CE II	36	15	20	10
913 273	BSGB 6/520 CE II	60	10	20	7
913 274	BSGB 6/520 CE II	80	10	20	7
913 275	BSGB 12/520 CE II	36	29	20	20
913 276	BSGB 12/520 CE II	60	19	20	13
913 277	BSGB 12/520 CE II	80	19	20	13
913 301	BSGB 30/533 CE II	36	89	20	59
913 278	BSGB 30/533 CE II	60	47	20	31
913 279	BSGB 30/533 CE II	80	47	20	31
913 298	BSGB 30/610 CE II	36	97	20	65
913 299	BSGB 30/610 CE II	60	66	20	44
913 300	BSGB 30/610 CE II	80	66	20	44
913 280	BSGB 35/450 CE II	36	73	20	49
913 281	BSGB 35/450 CE II	60	47	20	32
913 282	BSGB 35/450 CE II	80	47	20	32
913 283	BSGB 50/450 CE II	36	98	20	66
913 284	BSGB 50/450 CE II	60	63	20	42
913 285	BSGB 50/450 CE II	80	63	20	42
913 302	ESWB 100/100 CE II	36	170	10	114
913 303	ESWB 100/100 CE II	60	134	10	89
913 304	ESWB 100/100 CE II	80	134	10	89

Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		Vid köp av minst 100st
912 956	ESB 45/30 CE II	36	26	20	17
912 957	ESB 45/30 CE II	60	25	20	17
912 958	ESB 45/30 CE II	80	25	20	17
912 959	ESB 45/30 CE II	120	22	20	15

KPS 150-K Cubitron II

Velcro discs for palm sander

Best cutting rate, performance and long service life.

The grain is distributed on tear-resistant film material



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		Vid köp av minst 200st
912 783	KPS 150-K CE II K 80	Without holes / ohne Löcher	17	50	12
912 798	KPS 150-K CE II K 120		17	50	11
912 908	KPS 150-K CE II K 150		18	50	12
912 928	KPS 150-K CE II K 180		18	50	12
912 909	KPS 150-K CE II K 220		18	50	12
912 799	KPS 150-K CE II K 80	Multihole design / Multiloch Design	18	50	12
912 800	KPS 150-K CE II K 120		16	50	11
912 925	KPS 150-K CE II K 150		18	50	12
912 926	KPS 150-K CE II K 180		18	50	12
912 927	KPS 150-K CE II K 220		18	50	12

LFS M14

Flap Discs with integrated M14 thread (Ceramic)

The specially designed plastic backing with ventilation slots supports circulation of air and guides the heat away from the metal.



LFS = Type 27 (flat/flach)



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
912 510	LFS 125 M14 CE K 40	Stainless steel, Steel Rostfreier stahl, Stahl	60	10	40
912 511	LFS 125 M14 CE K 60		60	10	40
912 512	LFS 125 M14 CE K 80		60	10	40
912 513	LFS 125 M14 CE K 120		60	10	40

FVSC 115 M14

Deburring discs with integrated M14 thread

Specially developed for all kinds of deburring applications on sheet metals.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 311	FVSC 115 M14 80/VF AO	All Metals / Alle Metalle	450	1	299
913 313	FVSC 115 M14 80/F ZK	Stainless steel, Rostfreier Stahl	450	1	299
913 312	FVSC 115 M14 80/F SC	Aluminium, Plastics	450	1	299

VPR

Prepolishing rings

made of sisal/cotton. To prepolish stainless steel



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 289	VPR 100	Stainless steel, Non-ferrous metals Rostfreier stahl, NE-Metalle	94	5	63
913 290	VPR 150		147	2	98
913 291	VPR 200		190	2	126

PR

Polishing rings

to polish stainless steel



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 292	PR 100	Stainless steel, Non-ferrous metals Rostfreier stahl, NE-Metalle	51	8	34
913 293	PR 150		110	2	73
913 294	PR 200		160	2	107

HP

Butting rings

to mirrorfinish stainless steel, non-ferrous metals etc.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 295	HPR 100	Stainless steel, Non-ferrous metals Rostfreier stahl, NE-Metalle	34	8	22
913 296	HPR 150		78	2	52
913 297	HPR 200		141	2	94

FPS-LFS

Felt-polishing disc

to polish and mirror finish stainless steel and aluminium



Order No. Bestell-Nr.	Type Typ	Density Härte	st vid köp av en kartong		Vid köp av minst 2 kartonger
912 606	FPS-LFS 125	Extra flexible, Medium Extra flexibel, Mittel	372	5	248

FVVB R

Special shaped non-woven and felt discs

SUN-fix disc with fixation Roll-On. Designed for working tight contours and concave surfaces with radius transitions.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
913 331	FVVB R 75 C	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	27	25	18
913 332	FVVB R 75 M		27	25	18
913 333	FVVB R 75 VF		25	25	16
913 334	FPB R 75		33	25	22

KFS-K CE II

Ceramic velcro discs

High-performance discs with precision shaped grain. For uniform sanding operations. Max. removal rate and consistent finishing.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 335	KFS 115-K CE II K 40	Stainless steel, Steel Rostfreier Stahl, Stahl	25	50	16
913 336	KFS 115-K CE II K 60		24	50	16
913 337	KFS 115-K CE II K 80		24	50	16
913 338	KFS 115-K CE II K 120		22	50	15
913 339	KFS 125-K CE II K 40	Stainless steel, Steel Rostfreier Stahl, Stahl	29	50	19
913 340	KFS 125-K CE II K 60		27	50	18
913 341	KFS 125-K CE II K 80		27	50	18
913 342	KFS 125-K CE II K 120		26	50	17

BSGB CG

Compact grain abrasive belts

Open coated abrasive belts with continuous self-sharpening effect.
Provides very efficient removal rates and uniform surface roughness.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 378	BSGB 30/533 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	28	20	18
913 379	BSGB 30/533 CG K 180		28	20	18
913 376	BSGB 30/610 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	29	20	20
913 377	BSGB 30/610 CG K 180		29	20	20
913 380	BSGB 50/450 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	32	20	21
913 381	BSGB 50/450 CG K 180		32	20	21
913 374	ESWB 100/100 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	42	10	28
913 375	ESWB 100/100 CG K 180		42	10	28

BSGB CE-11

Abrasive belts ceramic

Excellent performance and service life. With grinding aid.
Universal use.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 2 kartonger
913 359	BSGB 30/533 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	27	20	18
913 360	BSGB 30/533 CE-11 K 60		22	20	15
913 361	BSGB 30/533 CE-11 K 80		20	20	13
913 362	BSGB 30/533 CE-11 K 120		20	20	13
913 363	BSGB 30/610 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	33	20	22
913 364	BSGB 30/610 CE-11 K 60		28	20	18
913 365	BSGB 30/610 CE-11 K 80		26	20	17
913 366	BSGB 30/610 CE-11 K 120		26	20	17
913 355	BSGB 50/450 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	35	20	23
913 356	BSGB 50/450 CE-11 K 60		33	20	22
913 357	BSGB 50/450 CE-11 K 80		20	20	13
913 358	BSGB 50/450 CE-11 K 120		20	20	13
913 386	ESWB 100/100 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	54	10	36
913 371	ESWB 100/100 CE-11 K 60		43	10	29
913 372	ESWB 100/100 CE-11 K 80		40	10	27
913 373	ESWB 100/100 CE-11 K 120		32	10	21
913 367	ESB 45/30 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	17	50	11
913 368	ESB 45/30 CE-11 K 60		17	50	11
913 382	ESB 45/30 CE-11 K 80		17	50	11
913 383	ESB 45/30 CE-11 K 120		17	50	11
913 369	ESB 60/30 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	18	50	12
913 370	ESB 60/30 CE-11 K 60		18	50	12
913 384	ESB 60/30 CE-11 K 80		18	50	12
913 385	ESB 60/30 CE-11 K 120		18	50	12

KFS CE-11

Fibre discs ceramic

With self-sharpening effect when processing hard surfaces.
Offers aggressive grinding and a very long service life.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 100st
909 907	KFS 125 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	28	50	19
909 910	KFS 125 CE-11 K 60		19	50	13
909 911	KFS 125 CE-11 K 80		17	50	11
909 912	KFS 125 CE-11 K 100		18	50	12
909 913	KFS 125 CE-11 K 120		18	50	12

KFS VA

Fibre discs aluminium oxide

For coarse and fine grinding of even and curved surfaces.

Grinds at a low temperatur thanks to ist additional active grinding layer.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 50st
903 415	KFS 115 VA K 36	Stainless steel, Steel Rostfreier stahl, Stahl	9	25	6
903 416	KFS 115 VA K 50		9	25	6
903 417	KFS 115 VA K 60		9	25	6
903 418	KFS 115 VA K 80		8	25	6
903 419	KFS 115 VA K 100		8	25	6
903 420	KFS 115 VA K 120		8	25	6
903 421	KFS 115 VA K 150		8	25	6
901 384	KFS 115 VA K 180		8	25	6

905 231	KFS 125 VA K 36	Stainless steel, Steel Rostfreier stahl, Stahl	11	25	7
905 232	KFS 125 VA K 50		10	25	7
905 233	KFS 125 VA K 60		10	25	7
905 234	KFS 125 VA K 80		9	25	6
905 235	KFS 125 VA K 100		9	25	6
905 236	KFS 125 VA K 120		9	25	6
905 237	KFS 125 VA K 150		9	25	6
903 356	KFS 125 VA K 180		9	25	6

SUN-fix CEII

Roll On - Quick Change Discs

High performance ceramic sanding discs. Significantly higher abrasion rates and service life with lower grinding temperatures.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		Vid köp av minst 300st
912 608	SB R 50 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	20	100	13
912 609	SB R 50 CEII K 60		17	100	12
912 610	SB R 50 CEII K 80		17	100	11
912 611	SB R 50 CEII K 120		14	100	9
912 612	SB R 75 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	26	50	17
912 613	SB R 75 CEII K 60		23	50	15
912 614	SB R 75 CEII K 80		22	50	15
912 615	SB R 75 CEII K 120		18	50	12

Turn On - Quick Change Discs



913 427	SB 50 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	20	100	13
913 428	SB 50 CEII K 60		17	100	12
913 429	SB 50 CEII K 80		17	100	11
913 430	SB 50 CEII K 120		14	100	9
913 431	SB 75 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	26	50	17
913 432	SB 75 CEII K 60		23	50	15
913 433	SB 75 CEII K 80		22	50	15
913 434	SB 75 CEII K 120		18	50	12

Beställning

[illegible]



MK-Produkter AB

order@mk-produkter.se

MK-Produkter Mekanik & Kemi AB

Tel. 08/514 00 550

www.mk-produkter.se

Box 8, 183 21 Täby

Org. nr. 556068-3780

<http://webshop.mk->