



TURBO DISC

Cutting Disc

Ultra fast and precise cutting with the thinnest cutting disc available from SUHNER.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
908 075	TURBO DISC 115x1.0x22	Stainless Steel, Steel, Aluminium, Castings	12	25	8
908 076	TURBO DISC 125x1.0x22		12	25	8
909 648	TURBO DISC 150x1.6x22	Rostfreier Stahl, Stahl, Aluminium, Guss	21	25	15
908 440	TURBO DISC 178x1.6x22		26	25	18
909 649	TURBO DISC 230x1.9x22		37	25	25

SUPREME DISC

Cutting Disc

Premium cutting disc for fast and precise cutting with ultra long service life.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
913 553	SUPREME-DISC 115/1.0	Stainless Steel, Steel	23	25	16
913 554	SUPREME-DISC 125/1.0		24	25	16

SUN-Disc M

Cutting & Grinding Discs

Specially designed for maximum performance on steel.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
909 866	SUN-Disc M 115x2.0	Castiron, Steel, Stainless steel, Weld seams	19	35	13
909 867	SUN-Disc M 125x2.0		23	35	15
909 868	SUN-Disc M 178x2.0		31	35	21
909 869	SUN-Disc M 230x2.0		47	35	32
909 870	SUN-Disc M 115x6.0	Guss, Stahl, Stahl rostfrei, Schweissnähte	28	10	19
909 871	SUN-Disc M 125x6.0		33	10	22
909 872	SUN-Disc M 178x6.0		57	10	39
909 873	SUN-Disc M 230x6.0		93	10	63

Magic Disc

Grinding Discs (6mm)

Highly aggressive grinding disc removes stock in the half time!



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
912781	Magic Disc 115x6.0	Stainless steel, Castiron, Steel, Aluminium, Non ferrous metals. Rostfreier stahl, NE-Metalle, Stahl, Guss, Aluminium	66	10	45
908613	Magic Disc 125x6.0		73	10	50
909714	Magic Disc 150x6.0		94	10	64
908945	Magic Disc 178x6.0		114	10	77
909896	Magic Disc 230x6.0		229	10	156

Magic Disc

Flexible Grinding Discs (3mm)

Versatile and easy to operate. Available in three grain sizes.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
908610	Magic Disc 125x3.0 K36	Stainless steel, Castiron, Steel, Aluminium, Non ferrous metals. Rostfreier stahl, NE-Metalle, Stahl, Guss, Aluminium	55	15	37
908611	Magic Disc 125x3.0 K60		55	15	37
908612	Magic Disc 125x3.0 K80		55	15	37

VULCANO

Grinding Discs (Convex)

The disc adapts perfectly to all curved surfaces thanks to its convex shape.
Also very constant and uniform material removal on even surfaces.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
909897	VULCANO 125x4.0 K36	Stainless steel, Steel Rostfreier Stahl, Stahl	62	15	42

LFS-F

Flexible flap discs

The ideal disc for processing and giving a final polish to rough concave and convex surfaces.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
908980	LFS-F 115 VA K 40	Stainless steel, Steel, Castiron Rostfreier stahl, Stahl, Guss	72	10	49
908981	LFS-F 115 VA K 60		72	10	49
908982	LFS-F 115 VA K 80		72	10	49

LFS-C

Flap Discs Corner (Zirconia)

Flap disc with new design! It is very suitable for easy modeling in corners and the removal of big fillet weld seams. For general rough grinding.



LFS = Type 27 (flat/flach)



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 5 kartonger
912 801	LFS-C 125 VA K 40	Stainless steel, Steel Rostfreier stahl, Stahl	72	10	49
912 802	LFS-C 125 VA K 60		72	10	49

KFS CE

Fibre discs Cubitron™

Guarantees low temperatures during sanding, a high material removal rate and a long service life. Ideal for stainless steel.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
913 318	KFS 115 CE-22 K 36	Stainless steel, Steel, Non ferrous metals	38	25	26
913 319	KFS 115 CE-22 K 60		35	25	24
913 320	KFS 115 CE-22 K 80	Rostfreier stahl, Stahl, NE-Metalle	34	25	23
913 321	KFS 115 CE-22 K 120		29	25	20
913 322	KFS 125 CE-22 K 36	Stainless steel, Steel, Non ferrous metals	38	25	26
913 323	KFS 125 CE-22 K 60		37	25	25
913 324	KFS 125 CE-22 K 80	Rostfreier stahl, Stahl, NE-Metalle	37	25	25
913 325	KFS 125 CE-22 K 120		38	25	26
913 326	KFS 178 CE-22 K 36	Stainless steel, Steel, Non ferrous metals	74	25	50
913 327	KFS 178 CE-22 K 60		65	25	45
913 328	KFS 178 CE-22 K 80	Rostfreier stahl, Stahl, NE-Metalle	62	25	42
913 329	KFS 178 CE-22 K 120		65	25	44

KFS CEII

Fibre discs Cubitron™ II

Improvement of Cubitron™ grain. It's perfectly shaped abrasive grain guarantees super fast and comfortable working!



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
909 985	KFS 115 CE II VA K36	Stainless steel, Non ferrous metals	61	25	42
909 986	KFS 115 CE II VA K60		52	25	35
909 987	KFS 115 CE II VA K80	Rostfreier stahl, NE-Metalle	53	25	36
909 988	KFS 115 CE II ST K36	Steel, Castings	53	25	36
909 989	KFS 115 CE II ST K60		49	25	34
909 990	KFS 115 CE II ST K80	Stahl, Guss	46	25	31
909 920	KFS 125 CE II VA K36	Stainless steel, Non ferrous metals	62	25	42
909 957	KFS 125 CE II VA K60		52	25	35
909 958	KFS 125 CE II VA K80	Rostfreier stahl, NE-Metalle	53	25	36
909 959	KFS 125 CE II ST K36	Steel, Castings	56	25	38
909 960	KFS 125 CE II ST K60		49	25	33
909 961	KFS 125 CE II ST K80	Stahl, Guss	47	25	32
912 603	KFS 178 CE II VA K36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	121	25	82
912 604	KFS 178 CE II VA K60		110	25	75
912 605	KFS 178 CE II VA K80		112	25	77

BSGB TZ

Abrasive belts Trizact™

For all sanding work to pre-buffing. Extraordinary reduction of work time and long service life.



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		st vid köp av 5 kartonger
908 835	BSGB 12/520 TZ	A 100 (K220)	19	20	13
908 840	BSGB 12/520 TZ	A 16 (K1200)	19	20	13
908 834	BSGB 12/520 TZ	A 160 (K120)	19	20	13
908 839	BSGB 12/520 TZ	A 30 (K600)	19	20	13
908 838	BSGB 12/520 TZ	A 45 (K400)	19	20	13
908 837	BSGB 12/520 TZ	A 65 (K280)	19	20	13
909 845	BSGB 19/520 TZ	A 100 (K220)	30	20	21
909 844	BSGB 19/520 TZ	A 160 (K120)	30	20	21
909 846	BSGB 19/520 TZ	A 65 (K280)	30	20	21
908 842	BSGB 30/533 TZ	A 100 (K220)	45	20	31
908 847	BSGB 30/533 TZ	A 16 (K1200)	45	20	31
908 841	BSGB 30/533 TZ	A 160 (K120)	45	20	31
908 846	BSGB 30/533 TZ	A 30 (K600)	45	20	31
908 845	BSGB 30/533 TZ	A 45 (K400)	45	20	31
909 086	BSGB 30/533 TZ	A 6 (K2000)	45	20	31
908 844	BSGB 30/533 TZ	A 65 (K280)	45	20	31
908 821	BSGB 50/450 TZ	A 100 (K220)	52	20	36
908 826	BSGB 50/450 TZ	A 16 (K1200)	52	20	36
908 820	BSGB 50/450 TZ	A 160 (K120)	52	20	36
908 825	BSGB 50/450 TZ	A 30 (K600)	52	20	36
908 824	BSGB 50/450 TZ	A 45 (K400)	52	20	36
909 085	BSGB 50/450 TZ	A 6 (K2000)	52	20	36
908 823	BSGB 50/450 TZ	A 65 (K280)	52	20	36





Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong	 st vid köp av 5 kartonger
908 828	BSGB 6/520 TZ	A 100 (K220)	19	20
908 833	BSGB 6/520 TZ	A 16 (K1200)	19	20
908 830	BSGB 6/520 TZ	A 160 (K120)	19	20
908 832	BSGB 6/520 TZ	A 30 (K600)	19	20
908 831	BSGB 6/520 TZ	A 45 (K400)	19	20
908 827	BSGB 6/520 TZ	A 65 (K280)	19	20
909 707	BSGB 30/610 TZ	A 80 (K 240)	69	20
909 708	BSGB 30/610 TZ	A 65 (K 280)	69	20
909 709	BSGB 30/610 TZ	A 45 (K 400)	69	20
909 710	BSGB 30/610 TZ	A 30 (K 600)	69	20
909 706	BSGB 30/610 TZ	A 100 (K 220)	52	20
909 705	BSGB 30/610 TZ	A 160 (K120)	52	20
909 711	BSGB 30/610 TZ	A 16 (K1200)	52	20
909 712	BSGB 30/610 TZ	A 6 (P2500)	52	20
908 746	ESWB 100/100 TZ	A 100 (K220)	72	10
909 378	ESWB 100/100 TZ	A 16 (K1200)	72	10
908 745	ESWB 100/100 TZ	A 160 (K120)	72	10
909 377	ESWB 100/100 TZ	A 30 (K600)	72	10
908 748	ESWB 100/100 TZ	A 45 (K400)	72	10
909 379	ESWB 100/100 TZ	A 6 (K2000)	72	10
908 747	ESWB 100/100 TZ	A 65 (K280)	72	10
909 402	ESWB 100/40 TZ	A 100 (K220)	53	20
909 398	ESWB 100/40 TZ	A 16 (K1200)	53	20
909 403	ESWB 100/40 TZ	A 160 (K120)	53	20
909 399	ESWB 100/40 TZ	A 30 (K600)	53	20
909 400	ESWB 100/40 TZ	A 45 (K400)	53	20
909 397	ESWB 100/40 TZ	A 6 (K2000)	59	20
909 401	ESWB 100/40 TZ	A 65 (K280)	53	20
909 321	ESWB 45/30 TZ	A 100 (K220)	24	20
909 317	ESWB 45/30 TZ	A 16 (K1200)	24	20
909 322	ESWB 45/30 TZ	A 160 (K120)	24	20
909 318	ESWB 45/30 TZ	A 30 (K600)	24	20
909 319	ESWB 45/30 TZ	A 45 (K400)	24	20
909 320	ESWB 45/30 TZ	A 65 (K280)	24	20
909 315	ESWB 60/30 TZ	A 100 (K220)	27	20
909 311	ESWB 60/30 TZ	A 16 (K1200)	27	20
909 316	ESWB 60/30 TZ	A 160 (K120)	27	20
909 312	ESWB 60/30 TZ	A 30 (K600)	27	20
909 313	ESWB 60/30 TZ	A 45 (K400)	27	20
909 314	ESWB 60/30 TZ	A 65 (K280)	27	20
908 972	ESWB 90/100 TZ	A 100 (K220)	67	10
909 374	ESWB 90/100 TZ	A 16 (K1200)	66	10
908 971	ESWB 90/100 TZ	A 160 (K120)	67	10
909 373	ESWB 90/100 TZ	A 30 (K600)	67	10
908 974	ESWB 90/100 TZ	A 45 (K400)	67	10
909 375	ESWB 90/100 TZ	A 6 (K2000)	67	10
908 973	ESWB 90/100 TZ	A 65 (K280)	67	10
909 506	PSWB 75/75 TZ	A 100 (K220)	61	10
909 501	PSWB 75/75 TZ	A 16 (K1200)	61	10
909 507	PSWB 75/75 TZ	A 160 (K120)	61	10
909 502	PSWB 75/75 TZ	A 30 (K600)	61	10
909 503	PSWB 75/75 TZ	A 45 (K400)	61	10
909 500	PSWB 75/75 TZ	A 6 (K2000)	61	10
909 504	PSWB 75/75 TZ	A 65 (K280)	61	10

BSGB / ESB

Abrasive belts

VA: for stainless steel, steel, light metals, plastics and wood



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		st vid köp av 5 kartonger
908 338	BSGB 3/305 ZK K 60	60	6	20	4
908 339	BSGB 3/305 ZK K 80	80	6	20	4
908 341	BSGB 3/305 ZK K 120	120	6	20	4
908 343	BSGB 6/305 ZK K 60	60	9	20	6
908 344	BSGB 6/305 ZK K 80	80	8	20	6
908 345	BSGB 6/305 ZK K 100	100	7	20	5
908 346	BSGB 6/305 ZK K 120	120	7	20	5
908 350	BSGB 12/305 ZK K 40	40	9	20	6
908 351	BSGB 12/305 ZK K 60	60	10	20	7
908 352	BSGB 12/305 ZK K 80	80	10	20	7
908 353	BSGB 12/305 AO K 100	100	10	20	7
908 354	BSGB 12/305 ZK K 120	120	9	20	6
908 355	BSGB 12/305 AO K 180	180	9	20	6
908 356	BSGB 12/305 AO K 240	240	10	20	7
908 357	BSGB 12/305 AO K 320	320	10	20	7
900 835	BSGB 6/520 ZK K 40	40	11	20	7
900 836	BSGB 6/520 ZK K 60	60	9	20	6
900 837	BSGB 6/520 ZK K 80	80	8	20	6
900 838	BSGB 6/520 ZK K 100	100	8	20	5
900 839	BSGB 6/520 ZK K 120	120	9	20	6
907 918	BSGB 6/520 AO K 180	180	8	20	5
907 919	BSGB 6/520 AO K 240	240	8	20	5
907 920	BSGB 6/520 AO K 320	320	8	20	5
900 845	BSGB 12/520 ZK K 40	40	15	20	10
900 846	BSGB 12/520 ZK K 60	60	10	20	7
900 847	BSGB 12/520 ZK K 80	80	9	20	6
900 848	BSGB 12/520 ZK K 100	100	10	20	7
900 849	BSGB 12/520 ZK K 120	120	10	20	7
907 921	BSGB 12/520 AO K 180	180	9	20	6
907 922	BSGB 12/520 AO K 240	240	9	20	6
907 923	BSGB 12/520 AO K 320	320	9	20	6



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong	 st vid köp av 5 kartonger
900 855	BSGB 16/520 ZK K 40	40	10	20
900 856	BSGB 16/520 ZK K 60	60	10	20
900 857	BSGB 16/520 ZK K 80	80	10	20
900 858	BSGB 16/520 ZK K 100	100	9	20
900 859	BSGB 16/520 ZK K 120	120	9	20
907 924	BSGB 16/520 AO K 180	180	12	20
907 925	BSGB 16/520 AO K 240	240	11	20
900 874	BSGB 19/520 ZK K 40	40	18	20
900 875	BSGB 19/520 ZK K 60	60	12	20
900 876	BSGB 19/520 ZK K 80	80	11	20
900 877	BSGB 19/520 ZK K 100	100	10	20
900 878	BSGB 19/520 ZK K 120	120	10	20
907 927	BSGB 19/520 AO K 180	180	13	20
907 928	BSGB 19/520 AO K 240	240	13	20
907 929	BSGB 19/520 AO K 320	320	13	20
908 955	BSGB 30/533 AO K 40	40	18	20
908 585	BSGB 30/533 AO K 60	60	16	20
908 586	BSGB 30/533 AO K 80	80	16	20
908 587	BSGB 30/533 AO K 100	100	16	20
908 588	BSGB 30/533 AO K 120	120	16	20
908 589	BSGB 30/533 AO K 150	150	16	20
908 590	BSGB 30/533 AO K 180	180	16	20
909 694	BSGB 30/610 AO K 40	40	23	20
909 695	BSGB 30/610 AO K 60	60	20	20
909 696	BSGB 30/610 AO K 80	80	20	20
909 698	BSGB 30/610 AO K 120	120	20	20
909 700	BSGB 30/610 AO K 180	180	20	20
901 235	BSGB 35/450 AO K 60	60	14	20
901 236	BSGB 35/450 AO K 80	80	14	20
901 238	BSGB 35/450 AO K 120	120	13	20
901 240	BSGB 35/450 AO K 180	180	13	20
901 241	BSGB 35/450 AO K 220	220	10	20
901 227	BSGB 40/505 AO K 60	60	17	20
901 228	BSGB 40/505 AO K 80	80	16	20
901 230	BSGB 40/505 AO K 120	120	17	20

BSGB FVV

Non-woven belts

FVV: Reinforced non-woven nylon surface conditioning belts for stainless steel and non-ferrous metals.



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		st vid köp av 5 kartonger
900 860	BSGB 6/520 FVV	C (Coarse)	27	20	18
900 861	BSGB 6/520 FVV	M (Medium)	27	20	18
908 715	BSGB 6/520 FVV	UF (Ultra Fine)	33	20	22
900 862	BSGB 6/520 FVV	VF (Very Fine)	27	20	18
900 863	BSGB 12/520 FVV	C (Coarse)	51	20	35
900 864	BSGB 12/520 FVV	M (Medium)	49	20	33
908 701	BSGB 12/520 FVV	SF (Super Fine)	50	20	34
908 716	BSGB 12/520 FVV	UF (Ultra Fine)	51	20	35
900 865	BSGB 12/520 FVV	VF (Very Fine)	49	20	33
900 866	BSGB 16/520 FVV	C (Coarse)	62	20	42
900 867	BSGB 16/520 FVV	M (Medium)	59	20	40
900 868	BSGB 16/520 FVV	VF (Very Fine)	56	20	38
900 879	BSGB 19/520 FVV	C (Coarse)	77	20	53
900 880	BSGB 19/520 FVV	M (Medium)	69	20	47
908 702	BSGB 19/520 FVV	SF (Super Fine)	67	20	46
908 813	BSGB 19/520 FVV	UF (Ultra Fine)	75	20	51
900 881	BSGB 19/520 FVV	VF (Very Fine)	66	20	45
908 922	BSGB 6/305 FVV	C (Coarse)	19	20	13
908 358	BSGB 6/305 FVV	M (Medium)	19	20	13
908 360	BSGB 6/305 FVV	SF (Super Fine)	19	20	13
908 359	BSGB 6/305 FVV	VF (Very Fine)	19	20	13
908 361	BSGB 9/305 FVV	M (Medium)	26	20	17
908 363	BSGB 9/305 FVV	SF (Super Fine)	26	20	17
908 362	BSGB 9/305 FVV	VF (Very Fine)	26	20	17
908 591	BSGB 30/533 FVV	C (Coarse)	94	5	64
908 592	BSGB 30/533 FVV	M (Medium)	84	5	57
908 703	BSGB 30/533 FVV	SF (Super Fine)	84	5	57
908 699	BSGB 30/533 FVV	UF (Ultra Fine)	127	5	86
908 593	BSGB 30/533 FVV	VF (Very Fine)	84	5	57
909 701	BSGB 30/610 FVV	C (Coarse)	99	5	68
909 702	BSGB 30/610 FVV	M (Medium)	96	5	65
909 703	BSGB 30/610 FVV	VF (Very Fine)	93	5	63
909 704	BSGB 30/610 FVV	SF (Super Fine)	93	5	63
909 766	BSGB 30/610 FVV	UF (Ultra Fine)	55	5	37
907 103	BSGB 50/450 FVV	C (Coarse)	123	5	84
907 038	BSGB 50/450 FVV	M (Medium)	120	5	82
907 628	BSGB 50/450 FVV	SF (Super Fine)	101	5	69
907 027	BSGB 50/450 FVV	UF (Ultra Fine)	180	5	123
903 444	BSGB 50/450 FVV	VF (Very Fine)	101	5	69
907 954	BSGB 63/950 FVV	C (Coarse)	309	5	210
907 104	BSGB 63/950 FVV	M (Medium)	317	5	216
903 445	BSGB 63/950 FVV	VF (Very Fine)	272	5	185

Non-woven belts



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		st vid köp av 10 kartonger
907 974	ESB 75/30 FVV	C (Coarse)	69	20	47
907 975	ESB 75/30 FVV	M (Medium)	69	20	47
907 976	ESB 75/30 FVV	VF (Very Fine)	68	20	47
907 855	PSWB 75/75 FVV	C (Coarse)	142	5	97
907 856	PSWB 75/75 FVV	M (Medium)	142	5	97
907 857	PSWB 75/75 FVV	VF (Very Fine)	142	5	97
907 852	PSWB 120/80 FVV	C (Coarse)	275	5	187
907 853	PSWB 120/80 FVV	M (Medium)	266	5	181
907 854	PSWB 120/80 FVV	VF (Very Fine)	257	5	175
908 968	ESWB 90/100 FVV	C (Coarse)	172	5	117
908 969	ESWB 90/100 FVV	M (Medium)	176	5	120
908 970	ESWB 90/100 FVV	VF (Very Fine)	173	5	118
908 742	ESWB 100/100 FVV	C (Coarse)	269	5	183
908 743	ESWB 100/100 FVV	M (Medium)	261	5	178
908 744	ESWB 100/100 FVV	VF (Very Fine)	220	5	150



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		st vid köp av 5 kartonger
904 100	BSGB 50/450 AO K 40	40	26	20	17
901 245	BSGB 50/450 AO K 60	60	21	20	14
901 246	BSGB 50/450 AO K 80	80	20	20	14
901 247	BSGB 50/450 AO K 100	100	18	20	12
901 248	BSGB 50/450 AO K 120	120	18	20	12
901 249	BSGB 50/450 AO K 150	150	18	20	12
901 250	BSGB 50/450 AO K 180	180	18	20	12
901 251	BSGB 50/450 AO K 220	220	15	20	10
901 252	BSGB 50/450 AO K 240	240	15	20	10
901 253	BSGB 50/450 AO K 320	320	15	20	10

901 255	BSGB 63/950 AO K 60	60	47	20	32
901 256	BSGB 63/950 AO K 80	80	44	20	30
901 258	BSGB 63/950 AO K 120	120	44	20	30



908 960	ESWB 90/100 AO K 40	40	30	20	21
908 961	ESWB 90/100 AO K 60	60	27	20	18
908 962	ESWB 90/100 AO K 80	80	25	20	17
908 964	ESWB 90/100 AO K 120	120	25	20	17
908 966	ESWB 90/100 AO K 180	180	25	20	17

908 737	ESWB 100/100 AO K 40	40	40	20	27
908 738	ESWB 100/100 AO K 60	60	29	20	19
908 739	ESWB 100/100 AO K 80	80	27	20	18
908 740	ESWB 100/100 AO K 120	120	26	20	17
908 741	ESWB 100/100 AO K 180	180	26	20	17



FVVGW

Folded non-woven fibre wheel

For line finishing with virtually no start-marks especially on stainless steel surfaces. Extra coarse grit 80.



Order No. Bestell-Nr.	Type Typ	Shank Schaft	st vid köp av en kartong		st vid köp av 2 kartonger
915 116	FVVGW 100/100 K 80	Bore 19.1 mm	512	1	349

FVVS

Compressed non-woven fibre discs with velcro backing

For removing score marks left by fibre discs. Saves grinding operations with fibre discs of different grades.



Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong		st vid köp av 5 kartonger
913 030	FVVS 115-K	EC (Extra Coarse)	67	10	45
913 060	FVVS 115-K	VC (Very Coarse)	80	10	54
906 377	FVVS 115-K	C (Coarse)	44	10	30
906 378	FVVS 115-K	M (Medium)	43	10	29
906 379	FVVS 115-K	VF (Very Fine)	40	10	27
906 380	FVVS 115-K	SF (Super Fine)	43	10	29
912 953	FVVS 125-K	C (Coarse)	50	10	34
912 915	FVVS 125-K	M (Medium)	48	10	33
912 954	FVVS 125-K	VF (Very Fine)	48	10	33
908 013	FVVS 178-K	C (Coarse)	111	10	76
908 014	FVVS 178-K	M (Medium)	107	10	73
908 015	FVVS 178-K	VF (Very Fine)	107	10	73

SUN-fix

Turn On - Quick Change System

SB-VA/ST High grinding performance due to TOP Size grain.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
908 642	SB 19 VA/ST K 60	Steel, Stainless steel Stahl, Rostfreier Stahl	5,69	100	3,87
908 643	SB 19 VA/ST K 80		5,69	100	3,87
908 644	SB 19 VA/ST K 120		5,69	100	3,87
900 920	SB 25 VA/ST K 36		6,05	100	4,12
900 921	SB 25 VA/ST K 60		6,05	100	4,12
900 922	SB 25 VA/ST K 80		6,05	100	4,12
908 645	SB 25 VA/ST K 120		6,05	100	4,12
900 923	SB 50 VA/ST K 36		8,89	100	6,05
900 924	SB 50 VA/ST K 60		7,47	100	5,08
900 925	SB 50 VA/ST K 80		7,47	100	5,08
908 646	SB 50 VA/ST K 120		7,47	100	5,08
900 926	SB 75 VA/ST K 36		11,40	50	7,76
900 927	SB 75 VA/ST K 60		10,94	50	7,44
900 928	SB 75 VA/ST K 80		10,94	50	7,44
908 647	SB 75 VA/ST K 120		10,94	50	7,44



SB-VA with NORZON®-Alumina-Zirconia for long service life



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
900 930	SB 50 VA K 36	Stainless steel, aluminium	7,83	100	5,33
900 931	SB 50 VA K 60		7,47	100	5,08
900 932	SB 50 VA K 80		7,47	100	5,08
900 933	SB 75 VA K 36	Rostfreier Stahl, Aluminium	12,88	50	8,77
900 934	SB 75 VA K 60		12,40	50	8,44

Turn On - Quick Change System

SB-SC with silicon carbide



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
900 990	SB 50 SC K 36	Titanium, Brass, Copper, Bronze, other non ferrous metals	7,83	100	5,33
900 991	SB 50 SC K 60		6,67	100	4,54
900 992	SB 50 SC K 80		6,67	100	4,54
900 993	SB 50 SC K 120	Titan, Messing, Kupfer, Bronze, andere NE-Metalle	6,67	100	4,54
900 994	SB 50 SC K 180		6,67	100	4,54
900 995	SB 50 SC K 240		6,67	100	4,54

FVVS - Reinforced non-woven discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
900 940	FVVS 19 C	Aluminium, Steel, Stainless steel, Plastics	8	50	6
900 941	FVVS 19 VF		8	50	6
900 942	FVVS 25 C		9	50	6
900 943	FVVS 25 M		9	50	6
900 944	FVVS 25 VF		9	50	6
900 945	FVVS 50 C	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	14	50	9
900 946	FVVS 50 M		14	50	9
900 947	FVVS 50 VF		14	50	9
900 948	FVVS 75 C		23	25	16
900 949	FVVS 75 M		23	25	16
900 950	FVVS 75 VF		23	25	16

FVBS - Open web, non-woven nylon discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
913 435	FVBS 25 C	Aluminium, Steel, Stainless steel, Plastics	10	50	6
913 436	FVBS 25 M		10	50	6
913 437	FVBS 25 F		9	50	6
913 438	FVBS 25 VF		9	50	6
913 439	FVBS 50 C		15	50	10
913 440	FVBS 50 M	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	14	50	10
913 441	FVBS 50 F		12	50	8
913 442	FVBS 50 VF		12	50	8
913 443	FVBS 75 C		25	25	17
913 444	FVBS 75 M		25	25	17
913 445	FVBS 75 F		16	25	11
913 446	FVBS 75 VF		16	25	11



Backing pads



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Hardness Härte	st vid köp av en kartong		st vid köp av 10st
900 970	SBH 19 M	Medium - Mittel	300	1	204
900 971	SBH 25 M	Medium - Mittel	268	1	182
900 972	SBH 50 M	Medium - Mittel	126	1	86
900 973	SBH 50 H	Hard - Hart	149	1	101
913 309	SBH 50 HP	Hardplastic - Hartplastik	192	1	131
900 974	SBH 75 M	Medium - Mittel	145	1	99
900 975	SBH 75 H	Hard - Hart	173	1	118
908 600	SBH 75 M14	Medium - Mittel	643	1	438



SUN-fix


Roll On - Quick Change System

SB-VA/ST High grinding performance due to TOP Size grain.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
908 454	SB R 50 VA/ST K 36	Stainless steel, steel, hastalloy, titanium, cast steel	8,89	100	6,05
908 455	SB R 50 VA/ST K 60		7,47	100	5,08
908 456	SB R 50 VA/ST K 80		7,47	100	5,08
908 764	SB R 50 VA/ST K 120		7,47	100	5,08
908 463	SB R 75 VA/ST K 36	Rostfreier Stahl, Stahl, Hastalloy, Titanium, Stahlguss	11,40	50	7,76
908 464	SB R 75 VA/ST K 60		10,94	50	7,44
908 465	SB R 75 VA/ST K 80		10,94	50	7,44
908 765	SB R 75 VA/ST K 120		10,94	50	7,44

SB-VA with NORZON®-Alumina-Zirconia for long service life



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
908 451	SB R 50 VA K 36	Stainless steel, aluminium	7,83	100	5,33
908 452	SB R 50 VA K 60		7,47	100	5,08
908 453	SB R 50 VA K 80		7,47	100	5,08
908 766	SB R 50 VA K 120		7,47	100	5,08
908 460	SB R 75 VA K 36	Rostfreier Stahl, Aluminium	12,88	50	8,77
908 461	SB R 75 VA K 60		12,40	50	8,44
908 462	SB R 75 VA K 80		12,40	50	8,44
908 767	SB R 75 VA K 120		12,40	50	8,44

Roll On - Quick Change System SB-SC with silicon carbide



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
908 457	SB R 50 SC K 36	Titanium, Brass, Copper, Bronze, other non ferrous metals	7,83	100	5,33
908 458	SB R 50 SC K 60		6,67	100	4,54
908 459	SB R 50 SC K 80		6,67	100	4,54
908 466	SB R 50 SC K 120		6,67	100	4,54
908 467	SB R 50 SC K 180	Titan, Messing, Kupfer, Bronze, andere NE-Metalle	6,67	100	4,54
908 468	SB R 50 SC K 240		6,67	100	4,54

FVVS - Reinforced non-woven discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 250st
908 477	FVVS R 50 C	Aluminium, Steel, Stainless steel, Plastics	13	50	9
908 476	FVVS R 50 M		13	50	9
908 475	FVVS R 50 VF		13	50	9
908 480	FVVS R 75 C	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	23	25	16
908 479	FVVS R 75 M		23	25	16
908 478	FVVS R 75 VF		23	25	16

FVBS - Open web, non-woven nylon discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 250st
913 447	FVBS R 50 C	Aluminium, Steel, Stainless steel, Plastics	15	50	10
913 448	FVBS R 50 M		15	50	10
913 449	FVBS R 50 F		12	50	8
913 450	FVBS R 50 VF		12	50	8
913 451	FVBS R 75 C	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	25	25	17
913 452	FVBS R 75 M		25	25	17
913 453	FVBS R 75 F		16	25	11
913 454	FVBS R 75 VF		16	25	11

FSB - Felt polishing disc



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 4 kartonger
908 926	FSB 50 R	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	23	25	16
908 762	FSB 75 R		33	50	23

Roll On - Quick Change System

SB-TZ Structured sanding discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
915 311	SB R 50 TZ A 160 (P120)	all metals alle Metalle	14	100	9
915 329	SB R 50 TZ A 100 (P220)		14	100	9
915 330	SB R 50 TZ A 80 (P240)		14	100	9
915 331	SB R 50 TZ A 65 (P280)		14	100	9
915 332	SB R 50 TZ A 45 (P400)		14	100	9
915 312	SB R 50 TZ A 30 (P600)		14	100	9
915 333	SB R 50 TZ A 16 (P1200)		14	100	9
915 334	SB R 50 TZ A 6 (P2500)		14	100	9



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
915 335	SB R 75 TZ A 160 (P120)	all metals alle Metalle	19	50	13
915 667	SB R 75 TZ A 100 (P220)		19	50	13
915 336	SB R 75 TZ A 80 (P240)		19	50	13
915 642	SB R 75 TZ A 65 (P280)		19	50	13
915 668	SB R 75 TZ A 45 (P400)		19	50	13
915 669	SB R 75 TZ A 30 (P600)		19	50	13
915 670	SB R 75 TZ A 16 (P1200)		19	50	13
915 337	SB R 75 TZ A 6 (P2500)		19	50	13



Roll On - Quick Change System

LFS - Mini flap discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
908 785	LFS R 50 VA K 40	Stainless steel, aluminium	54	10	37
908 786	LFS R 50 VA K 60		54	10	37
908 787	LFS R 50 VA K 80		54	10	37
908 788	LFS R 75 VA K 40	Rostfreier Stahl, Aluminium	73	10	50
908 789	LFS R 75 VA K 60		73	10	50
908 790	LFS R 75 VA K 80		73	10	50

LFS-F - Flexible mini flap discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
908 791	LFS-F R 50 VA K 40	Aluminium, Steel, Stainless steel, Plastics	54	10	37
908 792	LFS-F R 50 VA K 60		54	10	37
908 793	LFS-F R 50 VA K 80		54	10	37
908 794	LFS-F R 75 VA K 40	Aluminium, Stahl, Rostfreier Stahl, Kunststoff	73	10	50
908 795	LFS-F R 75 VA K 60		73	10	50
908 796	LFS-F R 75 VA K 80		73	10	50

Roll On - Quick Change System

Backing pads



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Hardness Härte	st vid köp av en kartong		st vid köp av 10 kartonger
908 797	SBH R 25 M	Medium - Mittel	116	1	79
908 525	SBH R 50 M	Medium - Mittel	126	1	86
909 104	SBH R 50 H	Hard - Hart	149	1	101
913 310	SBH R 50 HP	Hardplastic - Hartplastik	167	1	114
908 526	SBH R 75 M	Medium - Mittel	145	1	99
913 308	SBH R 75 H	Hard - Hart	173	1	118
908 602	SBH R 75 M M14	Medium - Mittel	321	1	218
913 307	AD M14-1/4"	Adapter M14 - 1/4" for SBH	157	1	107

SUN-Press

Unitized non woven abrasives

For deburring, cleaning, blending and finishing up to pre-polishing

Discs with **Roll On** - Quick Change System



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
908 801	SUN-Press R 75 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	117	5	80
909 624	SUN-Press R 75 4SF		121	5	82
909 625	SUN-Press R 75 6AF		119	5	81
908 800	SUN-Press R 75 8AM		123	5	84

Discs with fibre backing for angle grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 4 kartonger
909 626	SUN-Press 115 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	405	5	276
909 803	SUN-Press 115 6SF		412	5	280
909 627	SUN-Press 115 8AM		466	5	317

Discs for fillet weld grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
909 475	SUN-Press 150/3 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	303	10	207
909 476	SUN-Press 150/3 8AM		322	10	219
909 623	SUN-Press 150/3 10AM		436	10	297
909 471	SUN-Press 150/6 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	291	10	198
909 472	SUN-Press 150/6 4SF		376	10	256
909 473	SUN-Press 150/6 6SF		418	10	284
909 474	SUN-Press 150/6 8AM		462	10	314
909 622	SUN-Press 150/6 10AM		731	10	498



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
909 615	SUN-Press 50/3 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	87	5	59
909 604	SUN-Press 50/6 2SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	89	5	60
909 605	SUN-Press 50/6 4SF		92	5	63
909 609	SUN-Press 50/6 6SF		122	5	83
909 607	SUN-Press 75/3 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	95	5	65
909 610	SUN-Press 75/3 8AM		84	5	57
909 614	SUN-Press 75/6 2SM	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	127	5	87
909 606	SUN-Press 75/6 4SF		139	5	94
909 608	SUN-Press 75/6 6SF		260	5	177
909 612	SUN-Press 75/6 8AM		139	5	94

SUN-Press PRO

Unitized Discs

Optimized construction for uniform and brilliant surface finishing

Discs with fibre backing for angle grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 462	PRO 2SF 115	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	206	5	140
913 485	PRO 8AM 115	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	228	5	155

Discs for fillet weld grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 493	PRO 6SF 150/3	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	175	10	119
913 486	PRO 8AM 150/3		175	10	119
913 463	PRO 2SF 150/6	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	175	10	129
913 494	PRO 6SF 150/6		175	10	136
913 487	PRO 8AM 150/6		175	10	136

Discs for angle grinder and fillet weld grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 558	PRO 2SF 125/6	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	158	10	107
913 559	PRO 6SF 125/6		166	10	113
913 560	PRO 8AM 125/6		166	10	113

Discs with center hole



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 495	PRO 6SF 50/3	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	37	25	25
913 489	PRO 8AM 50/3		37	25	25
913 465	PRO 2SF 50/6	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	51	10	35
913 496	PRO 6SF 50/6		59	25	40
913 490	PRO 8AM 50/6		59	25	40
913 497	PRO 6SF 75/3	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	43	25	29
913 491	PRO 8AM 75/3		43	25	29
913 466	PRO 2SF 75/6	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	58	10	39
913 498	PRO 6SF 75/6		64	15	44
913 492	PRO 8AM 75/6		64	15	44

Discs with Roll On - Quick Change System



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 464	PRO 2SF 75 R	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	62	10	42
913 499	PRO 6SF 75 R Ny	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	68	10	46
913 488	PRO 8AM 75 R	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	68	10	46

SUN-Roll

Unitized non woven abrasives

For deburring, blending and polishing applications.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
909 629	SUN-Roll 150/13 B sc f	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	786	4	535
909 631	SUN-Roll 150/25 A		1388	3	945
909 632	SUN-Roll 150/25 B		1146	3	780
909 633	SUN-Roll 150/25 C		1225	3	834
909 634	SUN-Roll 200/25 A		1683	3	1 145
909 635	SUN-Roll 200/25 B		1703	3	1 159
909 636	SUN-Roll 200/25 C		1776	3	1 208
909 637	SUN-Roll 150/50 A		2424	1	1 650
909 638	SUN-Roll 150/50 B		2267	1	1 543
909 639	SUN-Roll 150/50 C		1931	1	1 314
909 640	SUN-Roll 200/50 A		4289	1	2 919
909 641	SUN-Roll 200/50 B		4596	1	3 128
909 642	SUN-Roll 200/50 C		3838	1	2 612

SB 39/60

Abrasive sheets

For UMC and UMB



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913479	SB 39/60-K CE-11 K 60	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	9	50	6
913480	SB 39/60-K CE-11 K 120		8	50	5
913481	SB 39/60-K CE-11 K 180		8	50	5
913482	SB 39/60-K CE-11 K 240		8	50	5



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913476	FVV 39/60-K C	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	15	20	10
913477	FVV 39/60-K M		12	20	8
913478	FVV 39/60-K VF		12	20	8

SUN-Press

Unitized non woven abrasives

For deburring, cleaning, blending and finishing

Unitized Mounted Points




Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 150	SUN-Press A0606 6SF	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	55	5	37
913 151	SUN-Press A0606 8SF		55	5	37
913 152	SUN-Press A0613 6SF		66	5	45
913 153	SUN-Press A0613 8SF		66	5	45
913 154	SUN-Press A1019 6SF		75	5	51
913 155	SUN-Press A1019 8SF		75	5	51
913 156	SUN-Press A1325 6SF		87	5	59
913 157	SUN-Press A1325 8SF		87	5	59
913 158	SUN-Press B1910 6SF		71	5	48
913 159	SUN-Press B1910 8SF		71	5	48
913 160	SUN-Press B2506 6SF		88	5	60
913 161	SUN-Press B2506 8SF		88	5	60
913 162	SUN-Press D1964 6SF		275	5	187
913 163	SUN-Press D1964 8SF		259	5	176
913 164	SUN-Press L1929 6SF		157	5	107
913 165	SUN-Press L1929 8SF		148	5	101
913 166	SUN-Press L2570 6SF		288	5	196
913 167	SUN-Press L2570 8SF		305	5	208
913 168	SUN-Press K1732 6SF		157	5	107
913 169	SUN-Press K1732 8SF		148	5	101
913 170	SUN-Press K2250 6SF		214	5	146
913 171	SUN-Press K2250 8SF		214	5	146
913 172	SUN-Press G1722 6SF		134	5	91
913 173	SUN-Press G1722 8SF		134	5	91
913 174	SUN-Press O1925 6SF		201	5	137
913 175	SUN-Press O1925 8SF		200	5	136
913 176	SUN-Press F1616 6SF		126	5	86
913 177	SUN-Press F1616 8SF		126	5	86
913 178	SUN-Press F2525 6SF		179	5	122
913 179	SUN-Press F2525 8SF		190	5	129

SF, SFK, SP, SK, SR

Cartridge rolls, resin pads

For grinding difficult radii, curved areas etc.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Mandrel Dorn	st vid köp av en kartong		st vid köp av 10 kartonger
901 811	SF 0840 K 80	FG 6-1/8"	8	100	6
901 812	SF 0840 K 150	FG 6-1/8"	8	100	6
901 813	SF 1340 K 80	FG 6-1/8"	11	50	8
901 814	SF 1340 K 150	FG 6-1/8"	12	50	8
901 815	SF 1640 K 80	FG 6-1/8"	16	50	11
901 816	SF 1640 K 150	FG 6-1/8"	17	50	12
901 817	SF 1940 K 80	FG 6-1/4"	19	50	13
901 818	SF 1940 K 150	FG 6-1/4"	22	50	15

901 819	SFK 1940 K 80	FG 6-1/8"	20	50	14
901 820	SFK 1940 K 150	FG 6-1/8"	22	50	15

901 827	SK 76 K 80	FG 6-1/4"-20	58	25	39
908 668	SK 76 K 100	FG 6-1/4"-20	53	25	36
901 828	SK 76 K 150	FG 6-1/4"-20	62	25	42

908 670	SR 40 K 150	FG 6 8-32	27	100	19
901 829	SR 40 K 100	FG 6 8-32	25	100	17
901 836	SR 40 K 80	FG 6 8-32	27	100	19
908 673	SR 76 K 150	FG 6-1/4"-20	39	25	26
901 832	SR 76 K 100	FG 6-1/4"-20	35	25	24
901 838	SR 76 K 80	FG 6-1/4"-20	39	25	27

Unitized non woven abrasives



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Shank Schaft	st vid köp av en kartong		st vid köp av 10 kartonger
907 950	FG 6-1/8"	6 mm	53	1	36
907 951	FG 6-1/4"		35	1	24
907 952	FG 6 8-32		53	1	36
907 953	FG 6 1/4-20		189	1	128

OPN PLUS

Sanding discs for orbital grinder

Universal sanding for dry and wet applications



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 5 kartonger
909 936	OPN PLUS 120 K 40	Stainless steel, Aluminium, Carbon, Wood, Composites, Fibre glass, Lacquer	12	50	8
909 937	OPN PLUS 120 K 60		12	50	8
909 962	OPN PLUS 120 K 80		11	50	7
909 963	OPN PLUS 120 K 120		11	50	7
909 964	OPN PLUS 120 K 180		11	50	7
909 965	OPN PLUS 120 K 220		11	50	7
909 966	OPN PLUS 120 K 320		11	50	7
909 968	OPN PLUS 120 K 600		11	50	7
909 938	OPN PLUS 150 K 40	Stainless steel, Aluminium, Carbon, Wood, Composites, Fibre glass, Lacquer	17	50	11
909 939	OPN PLUS 150 K 60		16	50	11
909 969	OPN PLUS 150 K 80		15	50	10
909 970	OPN PLUS 150 K 120		15	50	10
909 971	OPN PLUS 150 K 180		15	50	10
909 972	OPN PLUS 150 K 220		15	50	10
909 973	OPN PLUS 150 K 320		15	50	10
909 975	OPN PLUS 150 K 600		15	50	10

Bristle Disc

For cleaning, removal of rust, paint and coatings, for deburring,
blending and finishing up to pre-polishing

Discs with **ROLL-ON** - Quick Change System




Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 4 kartonger
913 103	BD R 50 K 36	Stainless steel, Aluminium, Non-Ferrous metals, Wood	108	10	74
913 104	BD R 50 K 50		174	10	118
913 105	BD R 50 K 80		180	10	122
913 106	BD R 50 K 120		172	10	117
913 107	BD R 75 K 36	Rostfreier Stahl, Aluminium, NE-Metalle, Holz	263	10	179
913 108	BD R 75 K 50		285	10	194
913 109	BD R 75 K 80		283	10	192
913 110	BD R 75 K 120		125	10	85

Discs with fibre backing for angle grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 5 kartonger
913 144	BD 115 K 50	Stainless steel, Aluminium, Non-Ferrous metals, Wood	834	5	567
913 145	BD 115 K 80		832	5	567
913 146	BD 115 K 120	Rostfreier Stahl, Aluminium, NE-Metalle, Holz	832	5	567

Discs for fillet weld grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 5 kartonger
913 138	BDS 150 K 36	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	270	10	184
913 139	BDS 150 K 50		272	10	185
913 140	BDS 150 K 80		117	10	79
913 141	BDS 150 K 120		156	10	106
913 142	BDS 150 K 220		132	10	90
913 143	BDS 150 K 400		270	10	184

Complete disc Kit for fillet weld grinder or working benches



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 132	BDR 150 K 36	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	1903	1	1 295
913 133	BDR 150 K 50		1884	1	1 282
913 134	BDR 150 K 80		1590	1	1 082
913 221	BDR 150 C K 80		1730	1	1 177
913 135	BDR 150 K 120		1590	1	1 082
913 136	BDR 150 K 220		1612	1	1 097
913 137	BDR 150 K 400		1875	1	1 276

BDR-A (Alternative Quality)

Complete disc Kit for fillet weld grinder or working benches



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 455	BDR-A 150 K 80	Stainless steel, Aluminium, Non-Ferrous metals, Wood Rostfreier Stahl, Aluminium, NE-Metalle, Holz	725	1	493
913 456	BDR-A 150 K 120		959	1	653

Complete disc Kit mounted on a 6mm shank



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 111	BDK 50 K 80	Stainless steel, Titanium, Aluminium Rostfreier Stahl, Titan, Aluminium	521	6	355
913 112	BDK 50 K 120		637	6	433
913 113	BDK 50 K 220		637	6	433
913 114	BDK 75 K 80		530	6	361
913 115	BDK 75 K 120		583	6	397
913 116	BDK 75 K 220		543	6	369

Discs with center hole for straight grinder



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 122	BDS 25 K 80		38	24	26
913 123	BDS 25 K 120		34	24	23
913 124	BDS 50 K 80		119	20	81
913 125	BDS 50 K 120		121	20	82
913 126	BDS 50 K 220		130	20	88
913 127	BDS 50 K 400		79	20	54
913 128	BDS 75 K 80		121	20	83
913 129	BDS 75 K 120		158	20	107
913 130	BDS 75 K 220		137	20	93
913 131	BDS 75 K 400		143	20	98

Accessories / Spindles for Bristle Disc



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Shank / Thread Schaft / Gewinde	st vid köp av en kartong		st vid köp av 2 kartonger
913 147	SF BDR 150	M 14	213	1	145
913 149	FD 6-10 BDS	6mm	274	1	186
913 180	FD 3-1/8"	3mm	285	1	194
913 182	FD 1/4"-10 BDS	1/4"	604	1	411

FVW / FVK COARSE

Reinforced non-woven fibre wheel

For finishing and polishing applications on stainless steel.

Produces a neat grinding pattern.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		st vid köp av 2 kartonger
909 840	FVW 110/100	COARSE	1333	1	907



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		st vid köp av 2 kartonger
913 223	FVK 80/50	COARSE	365	4	248

Aluminium

Fibre Discs

with special coating for best performance on Aluminium.

No additional lubricant is needed, even when working on soft Alu




Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
913 199	KFS 115 AL K 36	Aluminium	44	25	30
913 200	KFS 115 AL K 60		40	25	27
913 201	KFS 115 AL K 80		39	25	27
913 202	KFS 115 AL K 120		39	25	27
913 203	KFS 125 AL K 36		58	25	40
913 204	KFS 125 AL K 60		46	25	31
913 205	KFS 125 AL K 80		45	25	31
913 206	KFS 125 AL K 120		44	25	30
913 207	KFS 178 AL K 36		75	25	51
913 208	KFS 178 AL K 60		60	25	41
913 209	KFS 178 AL K 80		59	25	40
913 210	KFS 178 AL K 120		72	25	49

SUN-fix Discs

with special coating for best performance on Aluminium.

No additional lubricant is needed, even when working on soft Alu



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 300st
913 183	SB 50 AL K 36	Aluminium	22	100	15
913 184	SB 50 AL K 60		20	100	14
913 185	SB 50 AL K 80		18	100	12
913 186	SB 50 AL K 120		17	100	12
913 187	SB 75 AL K 36		24	50	16
913 188	SB 75 AL K 60		23	50	16
913 189	SB 75 AL K 80		20	50	14
913 190	SB 75 AL K 120		18	50	12
913 191	SB R 50 AL K 36		22	100	15
913 192	SB R 50 AL K 60		20	100	14
913 193	SB R 50 AL K 80		18	100	12
913 194	SB R 50 AL K 120		17	100	12
913 195	SB R 75 AL K 36		22	50	15
913 196	SB R 75 AL K 60		21	50	14
913 197	SB R 75 AL K 80		20	50	14
913 198	SB R 75 AL K 120		20	50	14

Discs for palm sander

Velcro sanding disc with 6 holes - very good performance.

Solid disc - no breaking even when working on edges and corners.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 5 kartonger
913 211	KPS 150-K AL K 80	Aluminium, Inox	7	100	5
913 212	KPS 150-K AL K 120		7	100	5
913 213	KPS 150-K AL K 150		7	100	5
913 214	KPS 150-K AL K 180		7	100	5
913 215	KPS 150-K AL K 240		7	100	5

Discs for palm sander

Velcro sanding disc without holes - very good performance.

Solid disc - no breaking even when working on edges and corners.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 5 kartonger
912 634	KPS 150-K AL K 80	Aluminium, Inox	7	100	5
912 635	KPS 150-K AL K 120		7	100	5
912 636	KPS 150-K AL K 150		7	100	5
912 637	KPS 150-K AL K 180		7	100	5
912 638	KPS 150-K AL K 240		7	100	5

KPS-K ZK

Zirconia Velcro discs

with robust polyester backing. Versatile disc with grinding aid.



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 541	KFS 115-K ZK P 40	All metals	12	25	8
913 542	KFS 115-K ZK P 60		11	25	8
913 543	KFS 115-K ZK P 80		11	25	7
913 544	KFS 115-K ZK P 120		11	25	7
913 545	KPS 150-K ZK P 40	All metals	19	50	13
913 546	KPS 150-K ZK P 60		18	50	12
913 547	KPS 150-K ZK P 80		16	50	11
913 548	KPS 150-K ZK P 120		16	50	11
913 549	KPS 150-K ZK P 40 (6-hole)	All metals	19	50	13
913 550	KPS 150-K ZK P 60 (6-hole)		18	50	12
913 551	KPS 150-K ZK P 80 (6-hole)		16	50	11
913 552	KPS 150-K ZK P 120 (6-hole)		16	50	11

BVSB

Laminated cotton discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
913 025	BVSB 75/3 A 36 KGX	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	88	5	60
913 026	BVSB 75/3 A 80 KGX		88	5	60
913 027	BVSB 75/3 A 120 KGX		88	5	60
909 794	BVSB 150/3 A 36 KGX	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	394	1	268
909 799	BVSB 150/3 A 80 KGX		394	1	268
909 800	BVSB 150/3 A 120 KGX		394	1	268
908 779	BVSB R 50 A36F	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	66	5	45
908 780	BVSB R 50 A80F		66	5	45
908 781	BVSB R 50 A120F		66	5	45
908 782	BVSB R 75 A36F	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	77	5	52
908 783	BVSB R 75 A80F		77	5	52
908 784	BVSB R 75 A120F		77	5	52

BVSS

Laminated cotton grinding discs



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 10 kartonger
908 261	BVSS 115 A24 MTX	Stainless steel, Aluminium Rostfreier stahl, Aluminium	207	1	141
908 262	BVSS 115 A24 GFX		207	1	141

BV

Cotton-reinforced mounted points



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 4 kartonger
908 263	A 10/20 BV A36 GFX	Stainless steel, Alu, Titan, Non ferrous metals Rostfreier stahl, Alu, Titan, NE-Metalle	77	5	53
908 264	A 13/25 BV A36 GFX		90	5	61
908 265	B 38/13 BV A36 GFX		151	5	103
908 266	B 19/06 BV A54 GFX		68	5	46
909 466	F 2525 BV A 36 GFX		184	5	125
909 461	F 2525 BV A 80 GFX		190	5	129
909 467	C 2525 BV A 36 GFX		159	5	108
909 462	C 2525 BV A 80 GFX		164	5	112
909 468	B 4010 BV A 36 GFX		225	5	153
909 463	B 4010 BV A 80 GFX		232	5	158
909 469	K 1119 BV A 36 GFX		94	5	64
909 464	K 1119 BV A 80 GFX		94	5	64
909 470	O 1012 BV A 36 GFX		73	5	50
909 465	O 1012 BV A 80 GFX		73	5	50

FVSS

Combined non-woven flap discs

Weld cleaning and finishing in one step



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
909 523	FVSS 125 C	Stainless steel, Steel Rostfreier stahl, Stahl	224	10	152
909 524	FVSS 125 M		224	10	152
909 525	FVSS 125 VF		224	10	152

FVV-LFT

Non-woven flap disc

For processing stainless steel welds.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
909 825	FVSS-LFT 125 M	Stainless steel Rostfreier stahl	78	10	53

TZS

Trizact velcro discs

For all sanding work to pre-buffing. Extraordinary reduction of work time and long service life.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 388	TZS 115-K A 160 (K120)	all metals alle Metalle	45	25	30
913 389	TZS 115-K A 80 (K240)		45	25	30
913 390	TZS 115-K A 65 (K280)		45	25	30
913 391	TZS 115-K A 45 (K400)		45	25	30
913 392	TZS 115-K A 30 (K600)		45	25	30
913 393	TZS 115-K A 16 (K1200)		45	25	30
913 394	TZS 115-K A 6 (K2500)		45	25	30
909 921	TZS 125-K A 160 (K120)	all metals alle Metalle	51	25	35
909 922	TZS 125-K A 80 (K240)		51	25	35
909 924	TZS 125-K A 45 (K400)		51	25	35
909 925	TZS 125-K A 30 (K600)		51	25	35

BSGB Cubitron II

Nyheter

Abrasive belts

Cubiron II belts guarantee optimal performance, a consistent surface finish and lower grinding temperatures.

Order No. Bestell-Nr.	Type Typ	Grit Korn	st vid köp av en kartong	 st vid köp av 5 kartonger
913 501	BSGB 3/520 CE II-22	40	11	20
913 502	BSGB 3/520 CE II-22	60	11	20
913 503	BSGB 3/520 CE II-22	80	11	20
913 504	BSGB 3/520 CE II-22	120	11	20
913 505	BSGB 6/520 CE II-22	40	14	20
913 506	BSGB 6/520 CE II-22	60	13	20
913 507	BSGB 6/520 CE II-22	80	13	20
913 508	BSGB 6/520 CE II-22	120	12	20
913 509	BSGB 6/610 CE II-22	40	15	20
913 510	BSGB 6/610 CE II-22	60	14	20
913 511	BSGB 6/610 CE II-22	80	14	20
913 512	BSGB 6/610 CE II-22	120	13	20
913 513	BSGB 12/520 CE II-22	40	20	20
913 514	BSGB 12/520 CE II-22	60	19	20
913 515	BSGB 12/520 CE II-22	80	19	20
913 516	BSGB 12/520 CE II-22	120	18	20
913 517	BSGB 13/610 CE II-22	40	24	20
913 518	BSGB 13/610 CE II-22	60	21	20
913 519	BSGB 13/610 CE II-22	80	21	20
913 520	BSGB 13/610 CE II-22	120	20	20
913 521	BSGB 30/533 CE II-22	40	41	20
913 522	BSGB 30/533 CE II-22	60	38	20
913 523	BSGB 30/533 CE II-22	80	37	20
913 524	BSGB 30/533 CE II-22	120	36	20
913 525	BSGB 30/610 CE II-22	40	44	20
913 526	BSGB 30/610 CE II-22	60	41	20
913 527	BSGB 30/610 CE II-22	80	40	20
913 528	BSGB 30/610 CE II-22	120	38	20
913 280	BSGB 35/450 CE II *	36	70	20
913 281	BSGB 35/450 CE II *	60	46	20
913 282	BSGB 35/450 CE II *	80	46	20
913 529	BSGB 50/450 CE II-22	40	47	20
913 530	BSGB 50/450 CE II-22	60	43	20
913 531	BSGB 50/450 CE II-22	80	43	20
913 532	BSGB 50/450 CE II-22	120	40	20
913 533	ESWB 100/100 CE II-22	40	67	10
913 534	ESWB 100/100 CE II-22	60	60	10
913 535	ESWB 100/100 CE II-22	80	59	10
913 536	ESWB 100/100 CE II-22	120	55	10
913 537	ESWB 90/100 CE II-22	40	63	10
913 538	ESWB 90/100 CE II-22	60	56	10
913 539	ESWB 90/100 CE II-22	80	55	10
913 540	ESWB 90/100 CE II-22	120	51	10





Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		st vid köp av 5 kartonger
912 956	ESB 45/30 CE II *	36	25	20	17
912 957	ESB 45/30 CE II *	60	24	20	17
912 958	ESB 45/30 CE II *	80	24	20	16
912 959	ESB 45/30 CE II *	120	21	20	14

KPS 150-K Cubitron II

Velcro discs for palm sander

Best cutting rate, performance and long service life.
The grain is distributed on tear-resistant film material



Order No. Bestell-Nr.	Type (Shank) Typ (Schaft)	Grit Korn	st vid köp av en kartong		st vid köp av 4 kartonger
912 783	KPS 150-K CE II K 80	Without holes / ohne Löcher	21	50	14
912 798	KPS 150-K CE II K 120		21	50	14
912 908	KPS 150-K CE II K 150		22	50	15
912 928	KPS 150-K CE II K 180		22	50	15
912 909	KPS 150-K CE II K 220		22	50	15
912 799	KPS 150-K CE II K 80	Multihole design / Multiloch Design	22	50	15
912 800	KPS 150-K CE II K 120		20	50	14
912 925	KPS 150-K CE II K 150		21	50	15
912 926	KPS 150-K CE II K 180		21	50	15
912 927	KPS 150-K CE II K 220		22	50	15

LFS M14

Flap Discs with integrated M14 thread (Ceramic)

The specially designed plastic backing with ventilation slots supports circulation of air and guides the heat away from the metal.



LFS = Type 27 (flat/flach)



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 5 kartonger
912 510	LFS 125 M14 CE K 40	Stainless steel, Steel Rostfreier stahl, Stahl	62	10	42
912 511	LFS 125 M14 CE K 60		63	10	43
912 512	LFS 125 M14 CE K 80		63	10	43
912 513	LFS 125 M14 CE K 120		63	10	43

FVSC 115 M14

Deburring discs with integrated M14 thread

Specially developed for all kinds of deburring applications on sheet metals.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 311	FVSC 115 M14 80/VF AO	All Metals / Alle Metalle	444	1	302
913 313	FVSC 115 M14 80/F ZK	Stainless steel, Rostfreier Stahl	444	1	302
913 312	FVSC 115 M14 80/F SC	Aluminium, Plastics	444	1	302

VPR

Prepolishing rings

made of sisal/cotton. To prepolish stainless steel



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 289	VPR 100	Stainless steel, Non-ferrous metals Rostfreier stahl, NE-Metalle	103	5	70
913 290	VPR 150		160	2	109
913 291	VPR 200		227	2	154

PR

Polishing rings

to polish stainless steel



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 292	PR 100	Stainless steel, Non-ferrous metals Rostfreier stahl, NE-Metalle	59	8	40
913 293	PR 150		129	2	88
913 294	PR 200		189	2	128

HPR

Butting rings

to mirrorfinish stainless steel, non-ferrous metals etc.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 295	HPR 100	Stainless steel, Non-ferrous metals Rostfreier stahl, NE-Metalle	38	8	26
913 296	HPR 150		91	2	62
913 297	HPR 200		158	2	108

FPS-LFS

Felt-polishing disc

to polish and mirror finish stainless steel and aluminium



Order No. Bestell-Nr.	Type Typ	Density Härte	st vid köp av en kartong		st vid köp av 2 kartonger
912 606	FPS-LFS 125	Extra flexible, Medium Extra flexibel, Mittel	366	5	249

Filz-Fächerscheibe

zum Polieren von Edelstahl und Aluminium

FVVB R

Special shaped non-woven and felt discs

SUN-fix disc with fixation Roll-On. Designed for working tight contours and concave surfaces with radius transitions.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 331	FVVB R 75 C	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	28	25	19
913 332	FVVB R 75 M		28	25	19
913 333	FVVB R 75 VF		25	25	17
913 334	FPB R 75		34	25	23

KFS-K CE II

Ceramic velcro discs

High-performance discs with precision shaped grain. For uniform sanding operations. Max. removal rate and consistent finishing.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 335	KFS 115-K CE II K 40	Stainless steel, Steel Rostfreier Stahl, Stahl	26	50	18
913 336	KFS 115-K CE II K 60		25	50	17
913 337	KFS 115-K CE II K 80		25	50	17
913 338	KFS 115-K CE II K 120		24	50	17
913 339	KFS 125-K CE II K 40	Stainless steel, Steel Rostfreier Stahl, Stahl	31	50	21
913 340	KFS 125-K CE II K 60		29	50	20
913 341	KFS 125-K CE II K 80		29	50	20
913 342	KFS 125-K CE II K 120		27	50	19

BSGB CG

Compact grain abrasive belts

Open coated abrasive belts with continuous self-sharpening effect.
Provides very efficient removal rates and uniform surface roughness.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 378	BSGB 30/533 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	29	20	20
913 379	BSGB 30/533 CG K 180		29	20	20
913 376	BSGB 30/610 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	31	20	21
913 377	BSGB 30/610 CG K 180		31	20	21
913 380	BSGB 50/450 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	34	20	23
913 381	BSGB 50/450 CG K 180		34	20	23
913 374	ESWB 100/100 CG K 120	Stainless steel, Steel Rostfreier Stahl, Stahl	44	10	30
913 375	ESWB 100/100 CG K 180		44	10	30

BSGB CE-11

Abrasive belts ceramic

Excellent performance and service life. With grinding aid.
Universal use.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
913 359	BSGB 30/533 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	28	20	19
913 360	BSGB 30/533 CE-11 K 60		23	20	15
913 361	BSGB 30/533 CE-11 K 80		20	20	13
913 362	BSGB 30/533 CE-11 K 120		20	20	13
913 363	BSGB 30/610 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	36	20	25
913 364	BSGB 30/610 CE-11 K 60		28	20	19
913 365	BSGB 30/610 CE-11 K 80		26	20	18
913 366	BSGB 30/610 CE-11 K 120		27	20	19
913 355	BSGB 50/450 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	35	20	24
913 356	BSGB 50/450 CE-11 K 60		34	20	23
913 357	BSGB 50/450 CE-11 K 80		20	20	13
913 358	BSGB 50/450 CE-11 K 120		20	20	13
913 386	ESWB 100/100 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	57	10	39
913 371	ESWB 100/100 CE-11 K 60		46	10	31
913 372	ESWB 100/100 CE-11 K 80		42	10	29
913 373	ESWB 100/100 CE-11 K 120		34	10	23
913 367	ESB 45/30 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	17	50	12
913 368	ESB 45/30 CE-11 K 60		18	50	12
913 382	ESB 45/30 CE-11 K 80		17	50	12
913 383	ESB 45/30 CE-11 K 120		17	50	12
913 369	ESB 60/30 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	19	50	13
913 370	ESB 60/30 CE-11 K 60		19	50	13
913 384	ESB 60/30 CE-11 K 80		19	50	13
913 385	ESB 60/30 CE-11 K 120		18	50	12

KFS CE-11

Fibre discs ceramic

With self-sharpening effect when processing hard surfaces.
Offers aggressive grinding and a very long service life.




Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
909 907	KFS 125 CE-11 K 40	Stainless steel, Steel, Aluminium Rostfreier stahl, Stahl, Aluminium	29	50	20
909 910	KFS 125 CE-11 K 60		20	50	13
909 911	KFS 125 CE-11 K 80		18	50	12
909 912	KFS 125 CE-11 K 100		19	50	13
909 913	KFS 125 CE-11 K 120		19	50	13

KFS VA

Fibre discs aluminium oxide

For coarse and fine grinding of even and curved surfaces.

Grinds at a low temperatur thanks to ist additional active grinding layer.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 2 kartonger
903 415	KFS 115 VA K 36	Stainless steel, Steel Rostfreier stahl, Stahl	10	25	7
903 416	KFS 115 VA K 50		10	25	7
903 417	KFS 115 VA K 60		9	25	6
903 418	KFS 115 VA K 80		9	25	6
903 419	KFS 115 VA K 100		9	25	6
903 420	KFS 115 VA K 120		9	25	6
903 421	KFS 115 VA K 150		9	25	6
901 384	KFS 115 VA K 180		9	25	6

905 231	KFS 125 VA K 36	Stainless steel, Steel Rostfreier stahl, Stahl	12	25	8
905 232	KFS 125 VA K 50		11	25	8
905 233	KFS 125 VA K 60		11	25	7
905 234	KFS 125 VA K 80		10	25	7
905 235	KFS 125 VA K 100		10	25	7
905 236	KFS 125 VA K 120		10	25	7
905 237	KFS 125 VA K 150		10	25	7
903 356	KFS 125 VA K 180		10	25	7

SUN-fix CEII

Roll On - Quick Change Discs

High performance ceramic sanding discs. Significantly higher abrasion rates and service life with lower grinding temperatures.



Order No. Bestell-Nr.	Type Typ	Application Applikation	st vid köp av en kartong		st vid köp av 300st
912 608	SB R 50 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	20	100	13
912 609	SB R 50 CEII K 60		17	100	12
912 610	SB R 50 CEII K 80		17	100	12
912 611	SB R 50 CEII K 120		14	100	10
912 612	SB R 75 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	26	50	18
912 613	SB R 75 CEII K 60		23	50	16
912 614	SB R 75 CEII K 80		22	50	15
912 615	SB R 75 CEII K 120		18	50	12

Turn On - Quick Change Discs



Turn On - Schnellwechselsystem

913 427	SB 50 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	20	100	13
913 428	SB 50 CEII K 60		17	100	12
913 429	SB 50 CEII K 80		17	100	12
913 430	SB 50 CEII K 120		14	100	10
913 431	SB 75 CEII K 36	Stainless steel, Non ferrous metals Rostfreier stahl, NE-Metalle	26	50	18
913 432	SB 75 CEII K 60		23	50	16
913 433	SB 75 CEII K 80		22	50	15
913 434	SB 75 CEII K 120		18	50	12

SUHNER LEB20

Liten, smidig, pneumatisk kantfasmaskin, industrikvalitet, tillverkad i Schweiz.



LEB20

- Liten & smidig, 0,7 kg, 270 W, 24 000 rpm.
- Avsedd för fasning av kanter
- Noggrann djupreglering – varje steg 0,25 mm